

Datasheet for ABIN7504438 **IL1F10 Protein (AA 1-152) (His tag)**



Overview

| Quantity: | 100 μg |
|-------------------------------|---|
| Target: | IL1F10 |
| Protein Characteristics: | AA 1-152 |
| Origin: | Human |
| Source: | Escherichia coli (E. coli) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This IL1F10 protein is labelled with His tag. |

Product Details

| Purpose: | Human IL-1F10/IL-38 Protein |
|------------------|--|
| Sequence: | Met1-Trp152 |
| Characteristics: | Recombinant Human IL-1F10/IL-38 Protein is expressed from E.coli with His tag at the C-Terminus.It contains Met1-Trp152. |
| Purity: | > 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC |
| Sterility: | 0.22 μm filtered |
| Endotoxin Level: | Less than 1EU per μg by the LAL method. |

Target Details

| Target: | IL1F10 |
|-------------------|---------------------------|
| Alternative Name: | IL-1F10 (IL1F10 Products) |

Target Details

| l arget Details | |
|---------------------|---|
| Background: | Interleukin (IL)-38, a newly discovered IL-1 family cytokine, is expressed in several tissues and |
| | secreted by various cells. IL-38 has recently been reported to exert an anti-inflammatory |
| | function by binding to several receptors, including interleukin-36 receptor (IL-36R), interleukin-1 |
| | receptor accessory protein-like 1 (IL-1RAPL1), and interleukin-1 receptor 1 (IL-1R1) to block |
| | binding with other pro-inflammatory cytokines and inhibit subsequent signaling pathways, |
| | thereby regulating the differentiation and function of T cells, peripheral blood mononuclear |
| | cells, macrophages, and dendritic cells. |
| Molecular Weight: | 18.64 kDa. The protein migrates to 20-25 kDa based on Tris-Bis PAGE result. |
| Application Details | |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |
| | |

| - I la l'alling | |
|------------------|--|
| Format: | Liquid |
| Buffer: | Supplied as 0.22µm filtered solution in PBS (pH 7.4). |
| Storage: | -80 °C |
| Storage Comment: | Valid for 12 months from date of receipt when stored at -80°C.,Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles. |
| Expiry Date: | 12 months |