# antibodies .- online.com





Datasheet for ABIN7504452

# IFNW1 Protein (AA 22-195) (His tag)



#### Overview

Quantity:	100 μg
Target:	IFNW1 (IFNW)
Protein Characteristics:	AA 22-195
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This IFNW1 protein is labelled with His tag.

#### **Product Details**

Purpose:	Human Interferon omega-1 Protein
Sequence:	Leu22-Ser195
Characteristics:	Recombinant Human Interferon omega-1 Protein is expressed from HEK293 with His tag at the C-terminus. It contains Leu22-Ser195.
Purity:	> 95 % as determined by Tris-Bis PAGE,> 95 % as determined by HPLC
Sterility:	0.22 µm filtered
Endotoxin Level:	Less than 1EU per μg by the LAL method.

## **Target Details**

Target:	IFNW1 (IFNW)
Alternative Name:	Interferon omega-1 (IFNW Products)

## **Target Details**

Expiry Date:

12 months

rargerberane	
Background:	Human Interferon omega-1, a type I IFN, also known as IFN- $\omega$ 1 or IFNW1, it contains a potential N-glycosylation site like human IFN- $\beta$ . IFN- $\omega$ 1 binds to the interferon alpha/beta receptor but not to the interferon gamma receptor. All IFN- $\omega$ genes analysed to date are devoid of introns. IFN- $\omega$ 1 has been shown to be well-tolerated in man and to induce reductions of hepatitis C virus RNA levels in a series of human clinical trials.
Molecular Weight:	21.25 kDa. Due to glycosylation, the protein migrates to 25-30 kDa based on Tris-Bis PAGE result.
UniProt:	P05000
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the tube before opening. Reconstituting to a concentration more than 100 $\mu$ g/mL is recommended. Dissolve the lyophilized protein in distilled water.
Buffer:	Lyophilized from 0.22 $\mu m$ filtered solution in PBS ( pH 7.4). Normally 8 % trehalose is added as protectant before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	-20 to -80°C for 12 months as supplied from date of receipt., -80°C for 3-6 months after reconstitution., 2-8°C for 2-7 days after reconstitution., Recommend to aliquot the protein into smaller quantities for optimal storage. Please minimize freeze-thaw cycles.
E .	