



Datasheet for ABIN7505187

## MMP 9 Protein (AA 162-440) (His tag)



[Go to Product page](#)

### Overview

Quantity: 100 µg

Target: MMP 9 (MMP9)

Protein Characteristics: AA 162-440

Origin: Human

Source: Escherichia coli (E. coli)

Protein Type: Recombinant

Purification tag / Conjugate: This MMP 9 protein is labelled with His tag.

### Product Details

Sequence: Arg 162-Arg 440

Characteristics: A DNA sequence encoding the Human MMP-9/CLG4B protein (P14780) (Arg 162-Arg 440) was expressed with N-His tag.

Purity: > 95 % as determined by reducing SDS-PAGE.

### Target Details

Target: MMP 9 (MMP9)

Alternative Name: MMP-9 ([MMP9 Products](#))

Background: Abbreviation: MMP-9,CLG4B

Target Synonym: Matrix metalloproteinase-9,92 kDa gelatinase,92 kDa type IV

collagenase,Gelatinase B,MMP9,CLG4B,GELB,MANDP2

Background: Matrix metalloproteinases (MMPs) are neutral proteinases that are involved in the

## Target Details

---

breakdown and remodeling of the extracellular matrix (ECM) under a variety of physiological and pathological conditions, such as morphogenesis, differentiation, angiogenesis and tissue remodeling, as well as pathological processes including inflammation, arthritis, cardiovascular diseases, pulmonary diseases and tumor invasion. MMP9, also known as 92-kDa gelatinase B/type IV collagenase, is secreted from neutrophils, macrophages, and a number of transformed cells, and is the most complex family member in terms of domain structure and regulation of its activity. It plays an important role in tissue remodelling in normal and pathological inflammatory processes. MMP-9 is a major secretion product of macrophages and a component of cytoplasmic granules of neutrophils, and is particularly important in the pathogenesis of inflammatory, infectious, and neoplastic diseases in many organs including the lung. This enzyme is also secreted by lymphocytes and stromal cells upon stimulation by inflammatory cytokines, or upon delivery of bi-directional activation signals following integrin-mediated cell-cell or cell-extracellular matrix (ECM) contacts. The dramatic overexpression of MMP-9 in cancer and various inflammatory conditions clearly points to the molecular mechanisms controlling its expression as a potential target for eventual rational therapeutic intervention.

---

Molecular Weight: Calculated MW: 30.58 kDa

Observed MW: 35 kDa

---

UniProt: [P14780](#)

---

Pathways: [Cellular Response to Molecule of Bacterial Origin](#), [Positive Regulation of Immune Effector Process](#), [CXCR4-mediated Signaling Events](#)

---

## Application Details

---

Restrictions: For Research Use only

---

## Handling

---

Format: Lyophilized

---

Buffer: Lyophilized from sterile PBS, pH 7.4.

Normally 5 % - 8 % trehalose, mannitol and 0.01 % Tween80 are added as protectants before lyophilization.

---

Storage: 4 °C,-20 °C,-80 °C

---

Storage Comment: Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted

---

## Handling

---

samples are stable at < -20°C for 3 months.

Expiry Date: 12 months