antibodies -online.com





Datasheet for ABIN7505763

MMP 9 Protein (AA 1-730) (His tag)

Go to Product page

Overview

Quantity:	100 μg
Target:	MMP 9 (MMP9)
Protein Characteristics:	AA 1-730
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MMP 9 protein is labelled with His tag.

Product Details

Sequence:	Met1-Pro730
Characteristics:	A DNA sequence encoding the Mouse MMP9 protein (P41245) (Met1-Pro730) was expressed with a C-His.
Purity:	> 95 % as determined by reducing SDS-PAGE.

Target Details

Target:	MMP 9 (MMP9)
Alternative Name:	MMP9 (MMP9 Products)
Background:	Abbreviation: MMP9
	Target Synonym: Matrix metalloproteinase-9,MMP-9,92 kDa gelatinase,92 kDa type IV
	collagenase,Gelatinase B,GELB
	Background: Matrix metalloproteinases (MMPs) are neutral proteinases that are involved in the

breakdown and remodeling of the extracellular matrix (ECM) under a variety of physiological and pathological conditions, such as morphogenesis, differentiation, angiogenesis and tissue remodeling, as well as pathological processes including inflammation, arthritis, cardiovascular diseases, pulmonary diseases and tumor invasion. MMP9, also known as 92- kDa gelatinase B/type IV collagenase, is secreted from neutrophils, macrophages, and a number of transformed cells, and is the most complex family member in terms of domain structure and regulation of its activity. It plays an important role in tissue remodelling in normal and pathological inflammatory processes. MMP-9 is a major secretion product of macrophages and a component of cytoplasmic granules of neutrophils, and is particularly important in the pathogenesis of inflammatory, infectious, and neoplastic diseases in many organs including the lung. This enzyme is also secreted by lymphocytes and stromal cells upon stimulation by inflammatory cytokines, or upon delivery of bi-directional activation signals following integrinmediated cell-cell or cell-extracellular matrix (ECM) contacts. The dramatic overexpression of MMP-9 in cancer and various inflammatory conditions clearly points to the molecular mechanisms controlling its expression as a potential target for eventual rational therapeutic intervention.

Molecular Weight:

Calculated MW: 80.19 kDa

Observed MW: 90 kDa

UniProt:

P41245

Pathways:

Cellular Response to Molecule of Bacterial Origin, Positive Regulation of Immune Effector Process, CXCR4-mediated Signaling Events

Application Details

Restrictions:

For Research Use only

Handling			
Format:	Lyophilized		
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose, mannitol and 0.01 % Tween80 are added as protectants before lyophilization.		
Storage:	4 °C,-20 °C,-80 °C		
Storage Comment:	Generally, lyophilized proteins are stable for up to 12 months when stored at -20 to -80°C. Reconstituted protein solution can be stored at 4-8°C for 2-7 days. Aliquots of reconstituted		

1	1		11.		
_	\sim	\sim	4 I I	n	\sim
_	14	111	111	1 1	

samples are stable at < -20°C for 3 months.

Expiry Date: 12 months