

Datasheet for ABIN7505853  
**anti-IL3RA antibody (PerCP)**

## 3 Images

[Go to Product page](#)

## Overview

Quantity:	100 tests
Target:	IL3RA
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This IL3RA antibody is conjugated to PerCP
Application:	Flow Cytometry (FACS)

## Product Details

Purpose:	Anti-Hu CD123 PerCP
Immunogen:	IL3 receptor alpha chain expressed on the surface of transiently transfected COS cells
Clone:	6H6
Isotype:	IgG1
Specificity:	The mouse monoclonal antibody 6H6 recognizes an extracellular epitope of CD123 (interleukin 3 receptor alpha), a 60-70 kDa transmembrane protein expressed by myeloid precursors, megakaryocytes, macrophages, dendritic cells, mast cells, basophils, and some B cells. This antibody does not inhibit IL-3 binding to its receptor.
Purification:	Purified antibody is conjugated with activated Peridinin-Chlorophyll Protein (PerCP) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

## Target Details


Target:	IL3RA
Alternative Name:	CD123 ( <a href="#">IL3RA Products</a> )
Background:	Interleukin 3 receptor subunit alpha,CD123 is the alpha chain of interleukin 3 receptor (IL-3R alpha). This subunit heterodimerizes with the interleukin 3 receptor beta chain (CD131), which is shared with other receptors. CD123 interacts with IL-3 specifically, but with low affinity, and association with the beta subunit confers high affinity binding to the receptor heterodimer. Both chains are required for signaling, but receptor activation and signal transduction depend on IL-3 binding to CD123 as the initial step.,IL3RA, MGC34174, hIL-3Ra
Gene ID:	3563
UniProt:	<a href="#">P26951</a>
Pathways:	<a href="#">JAK-STAT Signaling</a>

## Application Details

Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µL reagent / 100 µL of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Restrictions:	For Research Use only


## Handling

Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.




Flow Cytometry

**Image 1.** Flow cytometry surface staining pattern of human peripheral whole blood stained using anti-human CD123 (6H6) PerCP antibody (10  $\mu$ L reagent / 100  $\mu$ L of peripheral whole blood).



Flow Cytometry

**Image 2.** Separation of human CD123 positive CD45dim leukocytes (red-filled) from neutrophil granulocytes (black-dashed) in flow cytometry analysis (surface staining) of human peripheral whole blood stained using anti-human CD123 (6H6) PerCP antibody (10  $\mu$ L reagent / 100  $\mu$ L of peripheral whole blood).



Flow Cytometry

**Image 3.** Flow cytometry multicolor surface staining pattern of human mononuclear cells stained using anti-human CD123 (6H6) PerCP antibody (10  $\mu$ L reagent / 100  $\mu$ L of peripheral whole blood) and anti-human CD45 (MEM-28) Pacific Blue antibody (4  $\mu$ L reagent / 100  $\mu$ L of peripheral whole blood).