

Datasheet for ABIN7505931 anti-CLEC9A antibody (APC)



Go to Product page

Overview

Quantity:	100 tests
Target:	CLEC9A
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CLEC9A antibody is conjugated to APC
Application:	Flow Cytometry (FACS)
Product Details	
Purpose:	Anti-Hu CD370 APC
Immunogen:	RBL-2H3 cells expressing human CLEC9A fused to an HA epitope
Clone:	8F9
Isotype:	lgG2a
Specificity:	The mouse monoclonal antibody 8F9 recognizes an extracellular epitope of CD370 / CLEC9A (DNGR1), a type II transmembrane protein functioning as an endocytic receptor on BDCA31+ dendritic cells and on a subset of CD14+ CD16- monocytes.
Purification:	Purified antibody is conjugated with activated allophycocyanin (APC) under optimum

conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7505931 | 07/24/2024 | Copyright antibodies-online. All rights reserved.

chromatography.

Target Details

Target:	CLEC9A
Alternative Name:	CD370 (CLEC9A Products)
Background:	C-type lectin domain containing 9A,CD370 / CLEC9A, also known as DNGR1, is a type II transmembrane glycoprotein with extracellular C-type lectin domain and intracellular ITAM-containing domain. Its expression is restricted to BDCA3+ conventional dendritic cells and to a subset of CD14+ CD16- monocytes. CD370 serves as a receptor for ubiquitous preformed acid-labile protein associated ligands that are exposed when the cell membrane is damaged, such as on necrotic cells. Its triggering by these ligands mediates recruitment and activation of the tyrosine kinase Syk and leads to their cross-presentation to the immune system.,CLEC9A, DNGR1, DNGR-1, UNQ9341
Gene ID:	283420
UniProt:	Q6UXN8
Application Details	
Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 μ L reagent / 100 μ L of whole blood or 10 ⁶ cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Restrictions:	For Research Use only
Handling	
Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.