

Datasheet for ABIN7505959  
**anti-LILRA4 antibody (APC)**[Go to Product page](#)

## 2 Images

## Overview

Quantity:	100 tests
Target:	LILRA4
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This LILRA4 antibody is conjugated to APC
Application:	Flow Cytometry (FACS)

## Product Details

Purpose:	Anti-Hu CD85g APC
Clone:	17G10-2
Isotype:	IgG1 kappa
Specificity:	The mouse monoclonal antibody 17G10.2 recognizes an extracellular epitope of CD85g / ILT7, a member of leukocyte immunoglobulin-like receptor family expressed on plasmacytoid dendritic cells, but not on myeloid dendritic cells and other peripheral blood leukocytes.
Purification:	Purified antibody is conjugated with activated allophycocyanin (APC) under optimum conditions and unconjugated antibody and free fluorochrome are removed by size-exclusion chromatography.

## Target Details

Target:	LILRA4
---------	--------

## Target Details


Alternative Name:	CD85g ( <a href="#">LILRA4 Products</a> )
Background:	Leukocyte immunoglobulin like receptor A4,CD85g / ILT7 (immunoglobulin-like transcript 7) is a cell surface protein that is expressed on plasmacytoid dendritic cells (PDCs) and modulates the function of these cells in the immune response, such as the TLR-induced interferon production. It associates with gamma subunit of the high-affinity IgE receptor to form a receptor complex which transduces the signal through ITAM-associated downstream molecules. Expression of CD85g is downregulated by interleukin 3.,ILT7, LILRA4
Gene ID:	23547
UniProt:	<a href="#">P59901</a>

## Application Details

Application Notes:	Flow cytometry: The reagent is designed for analysis of human blood cells using 10 µL reagent / 100 µL of whole blood or 10 <sup>6</sup> cells in a suspension. The content of a vial (1 ml) is sufficient for 100 tests.
Restrictions:	For Research Use only

## Handling

Buffer:	Stabilizing phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	Store at 2-8°C. Protect from prolonged exposure to light. Do not freeze.



### Flow Cytometry

**Image 1.** Flow cytometry surface staining pattern of human peripheral whole blood stained using anti-human CD85g (17G10.2) APC antibody (10  $\mu$ L reagent / 100  $\mu$ L of peripheral whole blood).

### Flow Cytometry

**Image 2.** Separation of human CD85g positive leukocytes (red-filled) from neutrophil granulocytes (black-dashed) in flow cytometry analysis (surface staining) of human peripheral whole blood stained using anti-human CD85g (17G10.2) APC antibody (10  $\mu$ L reagent / 100  $\mu$ L of peripheral whole blood).