

Datasheet for ABIN7506068

anti-ADAM10 antibody



Overview

Quantity:	0.1 mg
Target:	ADAM10
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This ADAM10 antibody is un-conjugated
Application:	Western Blotting (WB), Flow Cytometry (FACS), Immunoprecipitation (IP), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Purpose:	Anti-Hu CD156c Purified
Immunogen:	Jurkat cells
Clone:	11G2
Isotype:	IgG1 kappa
Specificity:	The mouse monoclonal antibody 11G2 recognizes an extracellular/luminal epitope of CD156c, a type I transmembrane glycoprotein, serving as a zinc-dependent metalloprotease.
No Cross-Reactivity:	Mouse
Purification:	Purified by protein-A affinity chromatography.

Target Details	
Target:	ADAM10
Alternative Name:	CD156c (ADAM10 Products)
Background:	ADAM metallopeptidase domain 10,CD156c is a type I transmembrane glycoprotein with a zinc-dependent metalloprotease activity. It serves as an endopeptidase of broad specificity, which is expressed mainly in thymus, liver, and muscles. Its expression can be induced in inflamed central nervous system, and in arthritic tissues. CD156c is involved in multiple sclerosis-associated myelin degradation. It also solubilizes various membrane proteins, including CD23, CD44, CD126, CD171, ephrin-A2, and other.,ADAM10, AD10, RAK, MADM, HsT18717
Gene ID:	102
UniProt:	014672
Pathways:	Notch Signaling, EGFR Signaling Pathway
Application Details	
Application Notes:	Flow cytometry: Recommended dilution: 1-5 µg/mL, extracellular and intracellular staining.
Restrictions:	For Research Use only
Handling	
Concentration:	1 mg/mL
Buffer:	Phosphate buffered saline (PBS), pH 7.4, 15 mM sodium azide
Preservative:	Sodium azide