antibodies .- online.com





anti-DIO3 antibody (AA 51-150) (Biotin)



Go to Product page

| \sim | | | |
|--------|-----|--------|------|
| | N/F | ا/\r14 | iew/ |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | DIO3 |
| Binding Specificity: | AA 51-150 |
| Reactivity: | Human |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This DIO3 antibody is conjugated to Biotin |
| Application: | Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human Dio3 |
|-----------------------|--|
| Isotype: | IgG |
| Cross-Reactivity: | Human |
| Predicted Reactivity: | Mouse,Rat,Dog,Cow,Sheep,Pig |
| Purification: | Purified by Protein A. |

Target Details

| Target: | DIO3 |
|-------------------|--|
| Alternative Name: | Dio3 (DIO3 Products) |
| Background: | Synonyms: Type 3 DI, D3, 5DIII, Deiodinase iodothyronine type 3, Deiodinase iodothyronine type |

III, Dio 3, DIOIII, MGC124117, MGC124118, TXDI3, Type III 5' deiodinase, Type III iodothyronine deiodinase, IOD3_HUMAN.

Background: Dio3 belongs to the iodothyronine deiodinase family. It has an essential role for regulation of thyroid hormone inactivation during embryological development in that it catalyzes the inactivation of thyroid hormone by inner ring deiodination of the prohormone thyroxine (T4) and the bioactive hormone 3,3',5-triiodothyronine (T3) to inactive metabolites, 3,3',5'-triiodothyronine (RT3) and 3,3'-diiodothyronine (T2), respectively. Dio3 may play a role in preventing premature exposure of developing fetal tissues to adult levels of thyroid hormones and has been linked to the development of consumptive hypothyroidism in both infants and adults.

Gene ID:

1735

Pathways:

Hormone Activity

Application Details

Application Notes: WB 1:300-5000

IHC-P 1:200-400

Restrictions:

For Research Use only

Handling

| Format: | Liquid |
|--------------------|--|
| Concentration: | 1 μg/μL |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. |
| Preservative: | ProClin |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. |
| Storage: | -20 °C |
| Storage Comment: | Store at -20°C for 12 months. |
| Expiry Date: | 12 months |