antibodies .- online.com







anti-ADCY10 antibody (AA 1101-1200) (Cy5.5)



| \sim | | | | | |
|--------|----|----|----|-------------|---|
| () | VE | ۲۱ | /1 | \triangle | Λ |

| Quantity: | 100 μL |
|----------------------|---|
| Target: | ADCY10 |
| Binding Specificity: | AA 1101-1200 |
| Reactivity: | Human, Rat |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | This ADCY10 antibody is conjugated to Cy5.5 |
| Application: | Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunofluorescence (Cultured Cells) (IF (cc)) |

Product Details

| Immunogen: | KLH conjugated synthetic peptide derived from human ADCY10 | |
|-----------------------|--|--|
| Isotype: | IgG | |
| Cross-Reactivity: | Human, Rat | |
| Predicted Reactivity: | Mouse,Dog,Cow,Pig,Horse,Rabbit | |
| Purification: | Purified by Protein A. | |

Target Details

| Target: | ADCY10 |
|-------------------|--------------------------|
| Alternative Name: | ADCY10 (ADCY10 Products) |

Target Details

| Background: | Synonyms: SAC, HCA2, SACI, Sacy, hsAC, Adenylate cyclase type 10, AH-related protein, Adenylate cyclase homolog, Germ cell soluble adenylyl cyclase, Testicular soluble adenylyl cyclase, ADCY10 Background: Soluble adenylyl cyclase that has a critical role in mammalian spermatogenesis. Produces the cAMP which mediates in part the cAMP-responsive nuclear factors indispensable for maturation of sperm in the epididymis. Induces capacitation, the maturational process that sperm undergo prior to fertilization. May be the bicarbonate sensor. Involved in ciliary beat regulation. | |
|---------------------|--|--|
| Gene ID: | 55811 | |
| UniProt: | Q96PN6 | |
| Pathways: | cAMP Metabolic Process | |
| Application Details | | |
| Application Notes: | IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200 | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Concentration: | 1 μg/μL | |
| Buffer: | Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol. | |
| Preservative: | ProClin | |
| Precaution of Use: | This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only. | |
| Storage: | -20 °C | |
| Storage Comment: | Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles. | |
| Expiry Date: | 12 months | |