antibodies -online.com





Datasheet for ABIN751177

anti-ADCY4 antibody (AA 851-1077) (HRP)



()	11/	IN	/ie	A .
	/ // 	۱ ات	/ (−	' \/\/

Quantity:	100 μL	
Target:	ADCY4	
Binding Specificity:	AA 851-1077	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This ADCY4 antibody is conjugated to HRP	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))	

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human ADCY4	
Isotype:	IgG	
Cross-Reactivity:	Human	
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Sheep,Pig,Horse,Rabbit	
Purification:	Purified by Protein A.	

Target Details

Target:	ADCY4
Alternative Name:	ADCY4 (ADCY4 Products)

Target Details

Precaution of Use:

Handling Advice:

Storage:

Target Details	
Background:	Synonyms: AC4, Adenylate cyclase 4, adenylate cyclase type 4, Adenylate cyclase type IV,
	Adenylyl cyclase, ATP pyrophosphate lyase 4, ATP pyrophosphate lyase, ADCY4_HUMAN.
	Background: The ADCY4 gene encodes a member of the family of adenylate cyclases, which
	are membrane-associated enzymes that catalyze the formation of the secondary messenger
	cyclic adenosine monophosphate (cAMP). Mouse studies show that adenylate cyclase 4, along
	with adenylate cyclases 2 and 3, is expressed in olfactory cilia, suggesting that several different
	adenylate cyclases may couple to olfactory receptors and that there may be multiple receptor-
	mediated mechanisms for the generation of cAMP signals. Alternative splicing results in
	transcript variants.
Gene ID:	196883
Pathways:	EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Thyroid Hormone Synthesis, cAMP
	Metabolic Process, Myometrial Relaxation and Contraction, G-protein mediated Events,
	Interaction of EGFR with phospholipase C-gamma
Application Details	
Application Notes:	WB 1:300-5000
	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin

handled by trained staff only.

peroxidase.

-20 °C

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months