antibodies -online.com





anti-CACNA1E antibody (AA 1265-1360) (HRP)



()	11/0	K\ /	iew	1
	\cup	ועוי	$\square \vee \vee$	ı

Quantity:	100 μL
Target:	CACNA1E
Binding Specificity:	AA 1265-1360
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This CACNA1E antibody is conjugated to HRP
Application:	ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)), Immunohistochemistry (Paraffinembedded Sections) (IHC (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Cav23
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Dog,Cow,Pig,Horse,Rabbit,Guinea Pig
Purification:	Purified by Protein A.

Target Details

Target:	CACNA1E	
Alternative Name:	CACH6/Cav2.3 (CACNA1E Products)	

Target Details	
Background:	Synonyms: BII, Brain calcium channel II, CAC 1E, CAC1E, CACH 6, CACH6, CACNA1E, Cacnl1 a6,
	CACNL1A6, Calcium channel, L type, alpha 1 polypeptide, isoform 6, calcium channel, R type,
	Cav 2.3, Cchra 1, Cchra1, Voltage dependent R type calcium channel subunit alpha 1E, Voltage
	gated calcium channel subunit alpha Cav2.3.
	Background: Calcium channels mediate the influx of calcium ions into the cell following
	membrane polarisation. R-type calcium channels such as Cav2.3 belong to the "high voltage-
	activated" group and are blocked by nickel. The calcium channel consists of a complex of
	alpha-1, alpha-2/delta, beta, and gamma subunits in a 1:1:1:1 ratio. Each of these proteins
	exists as multiple isoforms, either encoded by different genes or arising from alternative
	splicing of transcripts. Cav2.3 is an alpha-1 subunit and has 24 transmembrane segments,
	which form the pore through which ions pass into the cell. Calcium channels containing the
	Cav2.3 subunit may be involved in the modulation of firing patterns of neurons, which is
	important for information processing.
Gene ID:	777
Pathways:	Carbohydrate Homeostasis
Application Details	
Application Notes:	IHC-P 1:200-400
	IHC-F 1:100-500
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and
	50 % Glycerol.
Preservative:	ProClin

handled by trained staff only.

peroxidase.

-20 °C

This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be

Do NOT add Sodium Azide! Use of Sodium Azide will inhibit enzyme activity of horseradish

Precaution of Use:

Handling Advice:

Storage:

Handling

Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months