antibodies - online.com





Datasheet for ABIN751483

anti-GNB2 antibody (AA 121-220)



Overview

Quantity:	100 μL
Target:	GNB2
Binding Specificity:	AA 121-220
Reactivity:	Mouse
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This GNB2 antibody is un-conjugated
Application:	ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human G protein beta 2
Isotype:	IgG
Cross-Reactivity:	Mouse
Predicted Reactivity:	Human,Rat,Dog,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.
Target Details	

Target:	GNB2

Target Details

Target Details		
Alternative Name:	G protein beta 2/GNB2 (GNB2 Products)	
Background:	Synonyms: G protein beta 2 subunit, G protein subunit beta 2, G protein, beta 2 subunit, Gnb2l1,	
	guanine nucleotide binding protein G protein, beta polypeptide 2, Guanine nucleotide binding	
	protein beta 2 subunit, Guanine nucleotide binding protein G I G S G T beta 2 subunit 2, Guanine	
	nucleotide binding protein G protein beta polypeptide 2, guanine nucleotide binding protein, beta	
	2 subunit, RACK1, Receptor for activated C kinase, Receptor of activated protein kinase C 1,	
	signal transducing guanine nucleotide binding regulatory protein beta, Transducin beta chain 2,	
	OTTHUMP00000174601, OTTHUMP00000174602, GBB2_HUMAN.	
	Background: GNB2 belongs to the WD repeat G protein beta family. Guanine nucleotide-binding	
	proteins (G proteins) are involved as a modulator or transducer in various transmembrane	
	signaling systems. The beta and gamma chains are required for the GTPase activity, for	
	replacement of GDP by GTP, and for G protein-effector interaction.	
Gene ID:	2783	
Pathways:	Myometrial Relaxation and Contraction	
Application Details		
Application Notes:	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	4 °C,-20 °C	

Handling

Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.	
Expiry Date:	12 months	