

[Go to Product page](#)

Datasheet for ABIN7519655

Activin A Receptor Type IB/ALK-4 Protein (Fc Tag)

Overview

Quantity:	10 µg
Target:	Activin A Receptor Type IB/ALK-4 (ACVR1B)
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Activin A Receptor Type IB/ALK-4 protein is labelled with Fc Tag.

Product Details

Purpose:	Recombinant Mouse ALK-4/ACVR1B Protein
Sequence:	MAESAGASSF FPLVLLLAG SGGSGPRGIQ ALLCACTSCL QTNYTCETDG ACMVSIFNLD GVEHHVRTCI PKVELVPAGK PFYCLSSDL RNTGCCYIDF CNKIDLRVPS GHLKEPAHPS MWGPVE
Specificity:	Met1-Glu126
Purity:	> 92 % by SDS-PAGE.
Sterility:	0.22 µm filtered
Endotoxin Level:	< 0.01EU/µg

Target Details

Target:	Activin A Receptor Type IB/ALK-4 (ACVR1B)
Alternative Name:	ALK-4/ACVR1B (ACVR1B Products)

Target Details

Background:	<p>Description: ACVR1B (Activin A Receptor, type 1B), belongs to the protein kinase superfamily, TKL Ser/Thr protein kinase family, and TGFB receptor subfamily. ALK-4/ACVR1B acts as a transducer of activin or activin like ligands signals. Activin binds to either ACVR2A or ACVR2B and then forms a complex with ACVR1B. The known type II activin receptors include ActRII and ActRIIB, while the main type I activin receptor in mammalian cells is ALK-4 (ActRIB). In the presence of activin, type II and type I receptors form complexes whereby the type II receptors activate ALK-4 through phosphorylation. The activated ALK-4, in turn, transduces signals downstream by phosphorylation of its effectors, such as Smads, to regulate gene expression and affect cellular phenotype. ALK-4/ACVR1B is an important regulator of vertebrate development, with roles in mesoderm induction, primitive streak formation, gastrulation, dorsoanterior patterning, and left-right axis determination.</p> <p>Name: Alk4, SKR2, ALK-4, ActRIB, ActR-IB, Acvrlk4, 6820432J04</p>
-------------	---

Gene ID:	11479
----------	-------

UniProt:	Q61271
----------	------------------------

Application Details

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 % Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.
Concentration:	0.87 mg/mL
Buffer:	Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.
Storage:	-20 °C,-80 °C
Storage Comment:	Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.