

## Datasheet for ABIN7519795 CD48 Protein (CD48) (Fc Tag)



Overview	
Quantity:	20 µg
Target:	CD48
Origin:	Mouse
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CD48 protein is labelled with Fc Tag.
Product Details	
Purpose:	Active Recombinant Mouse SLAMF2/CD48 Protein
Sequence:	FQGHSIPDIN ATTGSNVTLK IHKDPLGPYK RITWLHTKNQ KILEYNYNST KTIFESEFKG RVYLEENNGA LHISNVRKED KGTYYMRVLR ETENELKITL EVFDPVPKPS IEINKTEAST DSCHLRLSCE VKDQHVDYTW YESSGPFPKK SPGYVLDLIV TPQNKSTFYT CQVSNPVSSK NDTVYFTLPC DLAR
Specificity:	Phe23-Arg216
Purity:	> 95 % by SDS-PAGE.
Sterility:	0.22 µm filtered
Endotoxin Level:	<0.1EU/µg
Biological Activity Comment:	Measured by its binding ability in a functional ELISA. Immobilized Human CD48 at 10 µg/mL (100 µL/well) can bind Human CD224 with a linear range of 0.87-18.4 ng/mL.

## Target Details

Target:	CD48
Alternative Name:	SLAMF2/CD48 (CD48 Products)
Background:	Description: This protein is a member of the CD2 subfamily of immunoglobulin-like receptors
Laonground	which includes SLAM (signaling lymphocyte activation molecules) proteins. The encoded
	protein is found on the surface of lymphocytes and other immune cells, dendritic cells and
	endothelial cells, and participates in activation and differentiation pathways in these cells. The
	encoded protein does not have a transmembrane domain, however, but is held at the cell
	surface by a GPI anchor via a C-terminal domain which maybe cleaved to yield a soluble form
	of the receptor. Multiple transcript variants encoding different isoforms have been found for
	this gene.
	- Name: BCM1,BLAST,BLAST1,hCD48,mCD48,MEM-102,SLAMF2,CD48
Gene ID:	12506
UniProt:	P18181
Application Dataila	
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile
	distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is
	recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 %
	Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.
5. ((	
Buffer:	Lyophilized from a 0.22 $\mu$ m filtered solution of PBS, pH 7.4.
Storage:	-20 °C,-80 °C
Storage Comment:	Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein
	solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.