# antibodies .- online.com





#### Datasheet for ABIN7519833

## **CCL13 Protein (Fc Tag)**



#### Overview

Quantity:	20 μg
Target:	CCL13
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CCL13 protein is labelled with Fc Tag.

#### **Product Details**

Purpose:	Recombinant Human CCL13/MCP-4 Protein
Sequence:	QPDALNVPST CCFTFSSKKI SLQRLKSYVI TTSRCPQKAV IFRTKLGKEI CADPKEKWVQ NYMKHLGRKA HTLKT
Specificity:	Gln24-Thr98
Purity:	> 95 % by SDS-PAGE.
Sterility:	0.22 µm filtered
Endotoxin Level:	<0.1EU/µg

### **Target Details**

Target:	CCL13
Alternative Name:	CCL13/MCP-4 (CCL13 Products)
Background:	Description: Chemotactic factor that attracts monocytes, lymphocytes, basophils and

eosinophils, but not neutrophils. Signals through CCR2B and CCR3 receptors. Plays a role in the accumulation of leukocytes at both sides of allergic and non-allergic inflammation. May be involved in the recruitment of monocytes into the arterial wall during the disease process of atherosclerosis. May play a role in the monocyte attraction in tissues chronically exposed to exogenous pathogens.

Name: NCC1, CKb10, MCP-4, NCC-1, SCYL1, SCYA13, CCL13

Gene ID: 6357

UniProt: Q99616

Pathways: Regulation of Systemic Arterial Blood Pressure by Hormones, The Global Phosphorylation

Landscape of SARS-CoV-2 Infection

#### **Application Details**

Restrictions: For Research Use only

#### Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile
	distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is
	recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 %
	Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.
Buffer:	Lyophilized from a 0.22 μm filtered solution of PBS, pH 7.4.
Storage:	-20 °C,-80 °C
Storage Comment:	Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein
	solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.