# antibodies -online.com





## **CNTF Protein (His tag)**



#### Overview

Quantity:	10 μg
Target:	CNTF
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This CNTF protein is labelled with His tag.

#### **Product Details**

Purpose:	Active Recombinant Human CNTF Protein
Sequence:	MAFTEHSPLT PHRRDLCSRS IWLARKIRSD LTALTESYVK HQGLNKNINL DSADGMPVAS
	TDQWSELTEA ERLQENLQAY RTFHVLLARL LEDQQVHFTP TEGDFHQAIH TLLLQVAAFA
	YQIEELMILL EYKIPRNEAD GMPINVGDGG LFEKKLWGLK VLQELSQWTV RSIHDLRFIS
	SHQTGIPARG SHYIANNKKM
Specificity:	Met1-Met200
Purity:	> 97 % by SDS-PAGE.
Sterility:	0.22 μm filtered
Endotoxin Level:	< 1.0 EU/µg of the protein by LAL method.
Biological Activity Comment:	Measured in a cell proliferation assay using TF-1 human erythroleukemic cell line. The ${\rm ED}_{50}$ for
	this effect is 13.5-54 ng/mL.

### **Target Details**

rarget betails	
Target:	CNTF
Alternative Name:	CNTF (CNTF Products)
Background:	Description: The protein is a polypeptide hormone whose actions appear to be restricted to the nervous system where it promotes neurotransmitter synthesis and neurite outgrowth in certain neuronal populations. The protein is a potent survival factor for neurons and oligodendrocytes and may be relevant in reducing tissue destruction during inflammatory attacks. A mutation in this protein, which results in aberrant splicing, leads to ciliary neurotrophic factor deficiency, but this phenotype is not causally related to neurologic disease.  Name: CNTF,HCNTF
Gene ID:	1270
UniProt:	P26441
Pathways:	JAK-STAT Signaling
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 % Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.
Buffer:	Lyophilized from a 0.22 µm filtered solution of 20 mM Tris, 150 mM NaCl, pH 8.0.
Storage:	-20 °C,-80 °C
Storage Comment:	Store the lyophilized protein at -20°C to -80 °C for long term.  After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week.