antibodies -online.com







Datasheet for ABIN7520199 **IL28B Protein (His tag)**

Overview

Quantity:	10 μg
Target:	IL28B
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This IL28B protein is labelled with His tag.

Product Details

1 Toddet Details		
Purpose:	Active Recombinant Human IFN-lambda 3/IL-28B Protein	
Sequence:	MTGDCMPVLV LMAAVLTVTG AVPVARLRGA LPDARGCHIA QFKSLSPQEL QAFKRAKDAL	
	EESLLLKDCK CRSRLFPRTW DLRQLQVRER PVALEAELAL TLKVLEATAD TDPALGDVLD	
	QPLHTLHHIL SQLRACIQPQ PTAGPRTRGR LHHWLHRLQE APKKESPGCL EASVTFNLFR	
	LLTRDLNCVA SGDLCV	
Specificity:	Met1-Val196	
Purity:	> 95 % by SDS-PAGE.	
Sterility:	0.22 μm filtered	
Endotoxin Level:	< 0.1 EU/µg of the protein by LAL method.	
Biological Activity Comment:	Measured by its binding ability in a functional ELISA. Immobilized Recombinant Human IL28B	
	at 2 µg/mL (100 µL/well) can bind Recombinant Human IL10RB with a linear range of 0.25-1 μ	
	g/mL.	

Target Details	
Target:	IL28B
Alternative Name:	IFN-lambda 3/IL-28B (IL28B Products)
Background:	Description: Interleukin-28B (IL-28B) also known as Interferon lambda-3 and IFN-lambda-3, belongs to the type III interferon family of cytokines. IL-28B is a cytokine with immunomodulatory activity. It functions in Up-regulating MHC class I antigen expression. IL-28B displays potent antiviral activity and antitumor activity. This cytokine serves as ligand for the heterodimeric class II cytokine receptor composed of IL10RB and IL28RA. IL-28B is able to increase the percentage of splenic CD8+ T cells in vaccinated animals and have higher antigen-specific cytolytic. Name: IFNL3,IFN-lambda-3,IFN-lambda-4,IL-28B,IL-28C,IL28B,IL28C
Gene ID:	282617
UniProt:	Q8IZI9
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized
Reconstitution:	Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 % Trebalose), and aliquet the reconstituted protein solution to minimize free-thaw cycles.