# antibodies -online.com





## anti-Glycogenin 1 antibody (AA 251-350)



Go to Product page

$\sim$					
()	VE	۲۱	/1	$\triangle$	Λ

Quantity:	100 μL
Target:	Glycogenin 1 (GYG1)
Binding Specificity:	AA 251-350
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Glycogenin 1 antibody is un-conjugated
Application:	Western Blotting (WB), Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

#### Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Gyg1
Isotype:	IgG
Predicted Reactivity:	Human,Mouse,Rat,Dog,Cow,Sheep,Pig
Purification:	Purified by Protein A.

#### Target Details

Target:	Glycogenin 1 (GYG1)
Alternative Name:	GYG1 (GYG1 Products)

Target Details		
Background:	Synonyms: Glycogenin, Glycogenin1, GYG 1, GYG, GYG1, GLYG_HUMAN.	
	Background: This gene encodes a member of the glycogenin family. Glycogenin is a	
	glycosyltransferase that catalyzes the formation of a short glucose polymer from uridine	
	diphosphate glucose in an autoglucosylation reaction. This reaction is followed by elongation	
	and branching of the polymer, catalyzed by glycogen synthase and branching enzyme, to form	
	glycogen. This gene is expressed in muscle and other tissues. Mutations in this gene result in	
	glycogen storage disease XV. This gene has pseudogenes on chromosomes 1, 8 and 13	
	respectively. Alternatively spliced transcript variants encoding different isoforms have been	
	identified.[provided by RefSeq, Sep 2010].	
Gene ID:	2992	
Pathways:	Cellular Glucan Metabolic Process	
Application Details		
Application Notes:	WB 1:300-5000	
	ELISA 1:500-1000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
	IF(IHC-P) 1:50-200	
	IF(IHC-F) 1:50-200	
	IF(ICC) 1:50-200	
Restrictions:	For Research Use only	

### Handling

Format:	Liquid
Concentration:	1 μg/μL
Buffer:	0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

		1.	
$\vdash$	land	lın	
	ıaııu	1111	U

Expiry Date:

12 months