# antibodies - online.com





COLONIA PINING

#### Datasheet for ABIN752325

## anti-CDK11 antibody (AA 21-120) (Biotin)

# Overview Quantity:

100 μL

Target: CDK11 (CDK11B)

Binding Specificity: AA 21-120

Reactivity: Human

Host: Rabbit

Clonality: Polyclonal

Conjugate: This CDK11 antibody is conjugated to Biotin

Application: Western Blotting (WB), ELISA, Immunohistochemistry (Frozen Sections) (IHC (fro)),

Immunohistochemistry (Paraffin-embedded Sections) (IHC (p))

#### **Product Details**

lmmunogen:	KLH conjugated synthetic peptide derived from human CDK11
Isotype:	IgG
D 11 1 1 D 11 11	II M DID O OL D'DILI

Predicted Reactivity: Human, Mouse, Rat, Dog, Cow, Sheep, Pig, Rabbit

Purification: Purified by Protein A.

#### **Target Details**

Target:	CDK11 (CDK11B)
Alternative Name:	CDK11 (CDK11B Products)
Background:	Synonyms: Galactosyltransferase associated protein kinase p58/GTA, CD11B_HUMAN,

CDK11B, CDC2L1, PITSLREA, PK58, CDK11-p110, CDK11-p46, CDK11-p58, CDK11, CDK11 p110, CDK11 p46, CDK11 p58, CLK-1, p58, p58CDC2L1, p58CLK-1, p58 CLK-1, PK58, Cyclindependent kinase 11B, Cell division cycle 2-like protein kinase 1, Cell division protein kinase 11B, Galactosyltransferase-associated protein kinase p58/GTA, PITSLRE serine/threonine-protein kinase CDC2L1.

Background: Summary: This gene encodes a member of the p34Cdc2 protein kinase family. p34Cdc2 kinase family members are known to be essential for eukaryotic cell cycle control. This gene is in close proximity to CDC2L2, a nearly identical gene in the same chromosomal region. The gene loci including this gene, CDC2L2, as well as metalloprotease MMP21/22, consist of two identical, tandemly linked genomic regions which are thought to be a part of the larger region that has been duplicated. This gene and CDC2L2 were shown to be deleted or altered frequently in neuroblastoma with amplified MYCN genes. The protein kinase encoded by this gene could be cleaved by caspases and was demonstrated to play roles in cell apoptosis. Several alternatively spliced variants of this gene have been reported. [provided by RefSeq, Jul 2008].

Gene ID: 984

Pathways: Regulation of Lipid Metabolism by PPARalpha, M Phase

#### **Application Details**

Application Notes: WB 1:300-5000

IHC-P 1:200-400

IHC-F 1:100-500

Restrictions: For Research Use only

#### Handling

Format:	Liquid
	<u> </u>
Concentration:	1 μg/μL
Buffer:	Aqueous buffered solution containing 0.01M TBS ( pH 7.4) with 1 $\%$ BSA, 0.03 $\%$ Proclin300 and
	50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be
	handled by trained staff only.

### Handling

Storage:	-20 °C
Storage Comment:	Store at -20°C for 12 months.
Expiry Date:	12 months