

## Datasheet for ABIN7527628

# **Dual Specificity Phosphatase 3 (DUSP3) IQ-ELISA Kit**



Go to Product page

_					
	W	0	rv	10	W

Quantity: 5 x 96 tests  Target: Dual Specificity Phosphatase 3 (DUSP3)  Reactivity: Human  Method Type: Sandwich ELISA  Application: ELISA  Product Details  Purpose: Human Immunoquantitative (PCR-Based) VHR ELISA Kit for cell culture stand serum samples.  Sample Type: Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plas samples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, and master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
Reactivity: Human  Method Type: Sandwich ELISA  Application: ELISA  Product Details  Purpose: Human Immunoquantitative (PCR-Based) VHR ELISA Kit for cell culture standserum samples.  Sample Type: Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, are master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where	5 x 96 tests	
Method Type: Sandwich ELISA  Application: ELISA  Product Details  Purpose: Human Immunoquantitative (PCR-Based) VHR ELISA Kit for cell culture stand serum samples.  Sample Type: Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, and master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where	Dual Specificity Phosphatase 3 (DUSP3)	
Application:  ELISA  Product Details  Purpose: Human Immunoquantitative (PCR-Based) VHR ELISA Kit for cell culture stands serum samples.  Sample Type: Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, ar master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
Purpose: Human Immunoquantitative (PCR-Based) VHR ELISA Kit for cell culture stand serum samples.  Sample Type: Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, ar master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
Purpose: Human Immunoquantitative (PCR-Based) VHR ELISA Kit for cell culture stand serum samples.  Sample Type: Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plassamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, are master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
and serum samples.  Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, are master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
Sample Type: Cell Culture Supernatant, Plasma, Serum  Analytical Method: Semi-Quantitative  Detection Method: qPCR  Characteristics: IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, are master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where	ipernatants, plasma,	
Analytical Method:  Detection Method:  QPCR  Characteristics:  IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, are master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
Detection Method:  IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plasamples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, are master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where	Cell Culture Supernatant, Plasma, Serum	
Characteristics:  IQ-ELISAs employ specific capture antibodies coated on a 96-well PCR plas samples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, are master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
samples are pipetted into the wells, the target protein in the standards and the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, ar master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where		
the immobilized antibody. The wells are washed and the detection affinity the wells where it binds to any captured antigen. The wells are washed, ar master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where	te. Standards and	
the wells where it binds to any captured antigen. The wells are washed, ar master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where	l samples binds to	
master mix are added to each well. The plate is placed into a real time PC cycling and measurement of DNA amplification. The cycle number where	reagent is added to	
cycling and measurement of DNA amplification. The cycle number where	d primers and PCR	
	R instrument for	
	amplification is	
detected is proportional to the amount of affinity detection reagent that be	ound to captured	
antigen in each well.		
Components: • VHR Microplate (Item A): 96 well PCR plate coated with anti-Human VH	R	

- Wash Buffer I Concentrate (20x) (Item B): 25 ml of 20x concentrated solution
- · Standards (Item C): 2 vials of recombinant Human VHR
- Assay Diluent A (Item D): 30 ml diluent buffer, 0.09% sodium azide as preservative. For Standard/Sample (serum/plasma) diluent
- Assay Diluent B (Item E): 15 ml of 5x concentrated buffer. For Standard/Sample (cell culture medium/urine) diluent
- Detection Affinity Reagent for VHR (Item F): 2 vials of a 4x concentrated solution of anti-Human VHR affinity reagent
- IQELISA Detection Reagent (Item G): 1.4ml of a 10x concentrated stock
- Primer Solution (Item I): 1.7 ml vial
- PCR Master Mix (Item J): 1.2 ml vial
- PCR Preparation buffer (Item K): 1ml vial of 10x concentrated buffer
- · Final Wash Buffer (Item L): 10ml vial of 10x concentrated buffer

#### Material not included:

- · Real-time PCR instrument, Bio-Rad recommended
- Precision pipettes to deliver 2 µL to 1 mL volumes
- · Adjustable 1-25 mL pipettes for reagent preparation
- · 100 mL and 1 liter graduated cylinders
- · Absorbent paper
- · Distilled or deionized water
- · Log-log graph paper or computer and software for data analysis
- · Tubes to prepare standard or sample dilutions
- Heating block or water bath capable of 80°C

### **Target Details**

Target:	Dual Specificity Phosphatase 3 (DUSP3)	
Alternative Name:	VHR (DUSP3 Products)	
Target Type:	Viral Protein	
Gene ID:	1845	
UniProt:	P51452	
Pathways:	Neurotrophin Signaling Pathway, Activation of Innate immune Response, Toll-Like Receptors Cascades	

### **Application Details**

#### **Application Notes:**

The Immuno-Quantitative ELISA (IQELISA) kits are an innovative assay platform that combines the specificity and ease of use of an ELISA with the sensitivity of real-time PCR. This results in an assay that is simultaneously familiar and cutting edge and enables the use of only 1/10th

# **Application Details**

1 1			
	the sample volume while also providing 10x more sensitivity than a traditional ELISA.		
Comment:	The Immuno-Quantitative ELISA (IQELISA™) kits are an innovative assay platform that		
	combines the specificity and ease of use of an ELISA with the sensitivity of real-time PCR. Also		
	called immuno-PCR, this detection platform results in an assay that is simultaneously familiar		
	and cutting edge. Compared to traditional ELISA, IQELISA™ enables the use of only 1/10th the		
	sample volume while also providing 10x more sensitivity.		
Sample Volume:	25 μL		
Plate:	Pre-coated		
Protocol:	1. Prepare all reagents, samples and standards as instructed		
	2. Add 25 $\mu$ L standard or sample to each well. Incubate for 2.5 hours at room temperature or overnight at 4 $^{\circ}$ C		
	3. Add 25 µL detection affinity reagent to each well. Incubate 1 hour at room temperature		
	4. Add 25µL of IQELISA Detection Reagent to each well. Incubate 1 hour		
	5. Add 15µL Primer solution 10µL of PCR master mix to each well		
	6. Run real-time PCR		
Restrictions:	For Research Use only		
Handling			
Storage:	4 °C,-20 °C,-80 °C		
Storage Comment:	May be stored for up to 6 months at 2° to 8°C from the date of shipment. Standard		
	(recombinant protein) should be stored at -20°C or -80°C (recommended at -80°C) after		
	reconstitution. Opened PCR plate or reagents may be stored for up to 1 month at 2° to 8°C.		
	Note: the kit can be used within one year if the whole kit is stored at -20°C. Avoid repeated		
	freeze-thaw cycles.		
Expiry Date:	6 months		