

Datasheet for ABIN753275

anti-Glycerol Kinase antibody (AA 21-120) (FITC)[Go to Product page](#)

Overview

Quantity:	100 µL
Target:	Glycerol Kinase (GK)
Binding Specificity:	AA 21-120
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This Glycerol Kinase antibody is conjugated to FITC
Application:	Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human Glycerol kinase 1
Isotype:	IgG
Specificity:	This antibody will detect GK1 and GK2 due to high sequence similarity.
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Cow,Pig,Horse,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	Glycerol Kinase (GK)
---------	----------------------

Target Details

Alternative Name:	Glycerol kinase (GK Products)
Background:	Synonyms: ATP glycerol 3 phosphotransferase, GK, GK1, GK2, GKD, Glycerokinase, Glycerol kinase, Glycerol kinase deficiency, ATP:glycerol 3-phosphotransferase, GLPK_HUMAN. Background: Glycerol kinase catalyzes the formation of glycerol 3 phosphate from ATP and glycerol. Dihydroxyacetone and L glyceraldehyde can also act as acceptors, UTP and, in the case of the yeast enzyme, ITP and GTP can act as donors. It provides a way for glycerol derived from fats or glycerides to enter the glycolytic pathway.
Gene ID:	2710, 2712

Application Details

Application Notes:	IF(IHC-P) 1:50-200 IF(IHC-F) 1:50-200 IF(ICC) 1:50-200
Restrictions:	For Research Use only

Handling

Format:	Liquid
Concentration:	1 µg/µL
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and 50 % Glycerol.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.
Storage:	-20 °C
Storage Comment:	Store at -20°C. Aliquot into multiple vials to avoid repeated freeze-thaw cycles.
Expiry Date:	12 months