## antibodies -online.com





## anti-HMGCR antibody (pSer872) (Biotin)



( )	11/0	K\ /	iew
	$\cup$	'I V/I	$I \cap VV$

Quantity:	100 μL	
Target:	HMGCR	
Binding Specificity:	pSer872	
Reactivity:	Human, Rat, Mouse	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This HMGCR antibody is conjugated to Biotin	
Application:	Western Blotting (WB), ELISA, Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))	

## **Product Details**

Immunogen:	KLH conjugated synthetic phosphopeptide derived from human HMGCR around the phosphorylation site of Ser872	
Isotype:	IgG	
Specificity:	This phosphorylation site is homologous to that of Ser871 in Mouse and Rat.	
Cross-Reactivity:	Human, Mouse, Rat	
Predicted Reactivity:	Dog,Cow,Pig,Chicken,Rabbit	
Purification:	Purified by Protein A.	

## **Target Details**

Expiry Date:

rarget Details		
Target:	HMGCR	
Alternative Name:	HMGCR (HMGCR Products)	
Background:	Synonyms: LDLCQ3, 3-hydroxy-3-methylglutaryl-coenzyme A reductase, HMG-CoA reductase,	
	HMGCR, phospho HMGCR, p-HMGCR	
	Background: Transmembrane glycoprotein that is the rate-limiting enzyme in cholesterol	
	biosynthesis as well as in the biosynthesis of nonsterol isoprenoids that are essential for	
	normal cell function including ubiquinone and geranylgeranyl proteins.	
Gene ID:	3156	
UniProt:	P04035	
Pathways:	AMPK Signaling, Negative Regulation of Hormone Secretion, Regulation of Lipid Metabolism by	
	PPARalpha	
Application Details		
Application Notes:	WB 1:300-5000	
	IHC-P 1:200-400	
	IHC-F 1:100-500	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Concentration:	1 μg/μL	
Buffer:	Aqueous buffered solution containing 0.01M TBS (pH 7.4) with 1 % BSA, 0.03 % Proclin300 and	
	50 % Glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be	
	handled by trained staff only.	
Storage:	-20 °C	
Storage Comment:	Store at -20°C for 12 months.	

12 months