



[Go to Product page](#)

Datasheet for ABIN7533712
LGALS1/Galectin 1 Protein

Overview

Quantity:	100 µg
Target:	LGALS1/Galectin 1 (LGALS1)
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Biological Activity:	Active

Product Details

Purpose:	Active Recombinant Human Galectin-1/LGALS1 Protein
Sequence:	ACGLVASNLN LKPGELRVR GEVAPDAKSF VLNLGKDSNN LCLHFNPRFN AHGDANTIVC NSKDGGAWGT EQREAVFPFQ PGSVAEVCIT FDQANLTVKL PDGYEFKFPN RLNLEAINYM AADGDFKIKC VAFD
Specificity:	Ala2-Asp135
Purity:	> 95 % by SDS-PAGE.
Sterility:	0.22 µm filtered
Endotoxin Level:	< 0.1 EU/µg of the protein by LAL method.
Biological Activity Comment:	Measured by its ability to agglutinate mouse red blood cells. The ED ₅₀ for this effect is 0.5-3 µg/mL.

Target Details

Target:	LGALS1/Galectin 1 (LGALS1)
---------	----------------------------

Target Details

Alternative Name: Galectin-1/LGALS1 ([LGALS1 Products](#))

Background: Description: Galectin-1, also known as LGALS1 (lectin, galactoside-binding, soluble 1), is a 135 amino acid (aa), 14 kDa, pleiotropic, Non-glycosylated, monomeric or homodimeric carbohydrate-binding protein of the prototype galectin family. Galectins lack a classical signal peptide and can be localized to the cytosolic compartments, or secreted by non-classical pathways. Secreted Galectin-1 has immunosuppressive and anti-inflammatory properties and suppresses acute and chronic inflammation and autoimmunity. It contributes to negative selection of developing T cells, immunosuppression by regulatory T cells, resolution of the inflammatory response, and inhibition of immune cell migration, inflammatory cytokine production, and mast cell degranulation. Galectin-1 contributes to different steps of tumour progression including cell adhesion, migration and tumour-immune escape, suggesting that blockade of galectin-1 might result in therapeutic benefits in cancer. Several potential glycoprotein ligands for galectin-1 have been identified, including lysosome-associated membrane glycoproteins and fibronectin, laminin, as well as T-cell glycoproteins CD43 and CD45. Evidence points to Gal-1 and its ligands as one of the master regulators of such immune responses as T-cell homeostasis and survival, T-cell immune disorders, inflammation and allergies as well as host-pathogen interactions.

Name: GAL1, GBP,LGALS1, GAL1, galectin-1,GBP,Galectin 1/LGALS1

Gene ID: 3956

UniProt: [P09382](#)

Pathways: [Carbohydrate Homeostasis](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 % Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Buffer: Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Handling

Storage: -20 °C,-80 °C

Storage Comment: Store the lyophilized protein at -20°C to -80 °C for long term.
After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week.