antibodies -online.com





RSP01 Protein (His tag)



Go to Product page

()	1/0	r\ /1	014	
()	ve	I V I	-v	V

Quantity:	100 μg
Target:	RSP01
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This RSP01 protein is labelled with His tag.

Product Details

Purpose:	Active Recombinant Human R-spondin-1 Protein	
Sequence:	RISAEGSQAC AKGCELCSEV NGCLKCSPKL FILLERNDIR QVGVCLPSCP PGYFDARNPD	
	MNKCIKCKIE HCEACFSHNF CTKCKEGLYL HKGRCYPACP EGSSAANGTM ECSSPAQCEM	
	SEWSPWGPCS KKQQLCGFRR GSEERTRRVL HAPVGDHAAC SDTKETRRCT VRRVPCPEGQ	
	KRRKGGQGRR ENANRNLARK ESKEAGAGSR RRKGQQQQQQ QGTVGPLTSA GPA	
Specificity:	Arg31-Ala263	
Purity:	> 95 % by SDS-PAGE.	
Sterility:	0.22 μm filtered	
Endotoxin Level:	< 0.1 EU/µg of the protein by LAL method.	
Biological Activity Comment:	1.Measured by its ability to enhance Cyclin D1 expression in HCT116 human colon	
	adenocarcinoma cells. 0.1-10ng/mL of Recombinant Human RSP01 can effectively enhance	
	Cyclin D1 expression. 2.The intestinal crypts of mice were cultured in organoid culture medium	

containing factor combinations (100 ng/mL Noggin, Cat. RP01237 + 500 ng/mL R-spindin-1, Cat. RP00071) derived from ABclonal for144 hours, intestinal organoids were formed. (Customer Feedback Data)|3.Recombinant Human R-Spondin 1 protein stimulated Wnt signal pathway with Wnt-3a protein in HEK293T cells. After 6 hours, the stimulation when adding 300 ng/mL of R-Spondin-1 reached highest effect. Compared with only Wnt-3a stimulation, the Wnt signaling pathway was enhanced 3.1-fold after adding 300 ng/mL R-Spondin 1.

Target Details	
Target:	RSP01
Alternative Name:	R-spondin-1 (RSP01 Products)
Background:	Description: This protein is a secreted activator protein with two cysteine-rich, furin-like domains and one thrombospondin type 1 domain. The encoded protein is a ligand for leucine-rich repeat-containing G-protein coupled receptors (LGR proteins) and positively regulates the Wnt signaling pathway. In mice, the protein induces the rapid onset of crypt cell proliferation and increases intestinal epithelial healing, providing a protective effect against chemotherapy-induced adverse effects. Name: RSP01,CRISTIN3,RSP0
Gene ID:	284654
UniProt:	Q2MKA7
Application Details	
Restrictions:	For Research Use only
Handling	
Format:	Lyophilized

Format:	Lyophilized	
Reconstitution:	onstitution: Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in steri	
	distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is	
	recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 %	
	Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.	
Buffer:	Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Store the lyophilized protein at -20°C to -80 °C for long term.	

After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week.