



[Go to Product page](#)

Datasheet for ABIN7534585
CD83 Protein (CD83) (His tag)

Overview

Quantity:	100 µg
Target:	CD83
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD83 protein is labelled with His tag.

Product Details

Purpose:	Recombinant Human CD83 Protein
Sequence:	TPEVKVACSE DVDLPCTAPW DPQVPYTVSW VKLLEGGEER METPQEDHLR GQHYHQKGQN GSFDAPNERP YSLKIRNTTS CNSGTYRCTL QDPDGQRNLS GKVILRVTGC PAQRKEETFK KYRA
Specificity:	Thr20-Ala143
Purity:	> 95 % by SDS-PAGE.
Sterility:	0.22 µm filtered
Endotoxin Level:	< 0.1 EU/µg of the protein by LAL method.

Target Details

Target:	CD83
Alternative Name:	CD83 (CD83 Products)
Background:	Description: Human CD83 is a 40 - 50 kDa member of the Siglec (or sialic-acid-binding

Target Details

immunoglobulin-like lectin) family of transmembrane proteins. CD83 is considered as a marker of mature dendritic cells as well as an adhesion receptor that binds to resting monocytes and a subset of activated CD8+ T cells. In certain conditions, CD83 tended to dimerize or even multimerize through its aberrant intermolecular disulfide bonds. The injection of CD83-Ig can significantly enhance the rate of tumor growth and inhibit the T cell growth.

Name: BL11, HB15,CD83,HB15

Gene ID: 9308

UniProt: [Q01151](#)

Application Details

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile distilled water. Avoid vortex or vigorously pipetting the protein. For long term storage, it is recommended to add a carrier protein or stabilizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 % Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.

Buffer: Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.

Storage: -20 °C,-80 °C

Storage Comment: Store the lyophilized protein at -20°C to -80 °C for long term.
After reconstitution, the protein solution is stable at -20 °C for 3 months, at 2-8 °C for up to 1 week.