antibodies -online.com





Datasheet for ABIN7535397

CXCL3 Protein



Overview

Quantity:	100 μg
Target:	CXCL3
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant

Product Details

Purpose:	Recombinant Human CXCL3/GRO-gamma/MIP2-beta Protein
Sequence:	ASVVTELRCQ CLQTLQGIHL KNIQSVNVRS PGPHCAQTEV IATLKNGKKA CLNPASPMVQ KIIEKILNKG STN
Specificity:	Ala35-Asn107
Purity:	> 85 % by SDS-PAGE.
Sterility:	0.22 µm filtered
Endotoxin Level:	<1EU/µg

Target Details

Target:	CXCL3
Alternative Name:	CXCL3/GRO-gamma/MIP2-beta (CXCL3 Products)
Background:	Description: CXCL3 is involved in migration, invasion, proliferation and tubule formation of trophoblasts and may play a key role in the pathogenesis of preeclampsia. CXCL3
	autocrine/paracrine pathways are involved in the development of prostate cancer by regulating

the expression of the target genes that are related to the progression of malignancies. CXCL3 is $\frac{1}{2}$	
a novel adipokine that facilitates adipogenesis in an autocrine and/or a paracrine manner	
through induction of c/ebpb and c/ebpd. CXCL3 and its receptor CXCR2 are overexpressed in	
prostate cancer cells, prostate epithelial cells and prostate cancer tissues, which may play	
multiple roles in prostate cancer progression and metastasis.	
Name: CXCL3,CINC-2b,GRO3,GROg,MIP-2b,MIP2B,SCYB3	

Gene ID:	2921

UniProt: P19876

Pathways: Cellular Response to Molecule of Bacterial Origin, Autophagy

Application Details

Restrictions: For Research Use only

Handling

Format:	Lyophilized
Reconstitution:	Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile
	distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is
	recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 %
	Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.
Buffer:	Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.
Storage:	-20 °C,-80 °C
Storage Comment:	Store the lyophilized protein at -20°C to -80°C for long term. After reconstitution, the protein
	solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.