antibodies .- online.com





IL-10RA Protein (rFc Tag)



Go to Product page

\sim					
()	\/	Δ	r١	/1	۱۸

Quantity:	100 μg
Target:	IL-10RA (IL10RA)
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Biological Activity:	Active
Purification tag / Conjugate:	This IL-10RA protein is labelled with rFc Tag.

Product Details

Purpose:	Active Recombinant Human IL-10 R alpha/IL10RA/CD210 Protein
Sequence:	HGTELPSPPS VWFEAEFFHH ILHWTPIPNQ SESTCYEVAL LRYGIESWNS ISNCSQTLSY
	DLTAVTLDLY HSNGYRARVR AVDGSRHSNW TVTNTRFSVD EVTLTVGSVN LEIHNGFILG
	KIQLPRPKMA PANDTYESIF SHFREYEIAI RKVPGNFTFT HKKVKHENFS LLTSGEVGEF
	CVQVKPSVAS RSNKGMWSKE ECISLTRQYF TVTN
Specificity:	His22-Asn235
Purity:	> 92 % by SDS-PAGE.
Sterility:	0.22 μm filtered
Endotoxin Level:	<0.1EU/µg
Biological Activity Comment:	Measured by its binding ability in a functional ELISA.Immobilized Human IL10 at 2 μ g/mL (100 μ L/well) can bind Human IL10RA with a linear range of 0.1-2.9 ng/mL.
	με/ weil) can bind naman le force with a linear range of 0.1 2.3 hg/me.

Target Details

rarget Details		
Target:	IL-10RA (IL10RA)	
Alternative Name:	IL-10 R alpha/IL10RA/CD210 (IL10RA Products)	
Background:	Description: IL10RA (Interleukin 10 Receptor Subunit Alpha, also known as CD210) is a Protein	
	Coding gene. The protein encoded by this gene is a receptor for interleukin 10. Two transcript	
	variants, one protein-coding, and the other, not protein-coding have been found for this gene.	
	CD210 belongs to the type II cytokine receptor family. This protein is structurally related to	
	interferon receptors. It has been shown to mediate the immunosuppressive signal of interleuking	
	10, and thus inhibits the synthesis of proinflammatory cytokines.	
	Name: CD210, IL10R, CD210a, CDW210A, HIL-10R, IL-10R1, IL10RA	
Gene ID:	3587	
UniProt:	Q13651	
Pathways:	Growth Factor Binding	
Application Details		
Restrictions:	For Research Use only	
Handling		
Format:	Lyophilized	
Reconstitution:	Centrifuge the vial before opening. Reconstitute to a concentration of 0.1-0.5 mg/mL in sterile	
	distilled water. Avoid votex or vigorously pipetting the protein. For long term storage, it is	
	recommended to add a carrier protein or stablizer (e.g. 0.1 % BSA, 5 % HSA, 10 % FBS or 5 %	
	Trehalose), and aliquot the reconstituted protein solution to minimize free-thaw cycles.	
Buffer:	Lyophilized from a 0.22 µm filtered solution of PBS, pH 7.4.	
Storage:	-20 °C,-80 °C	
Storage Comment:	Store the lyophilized protein at -20°C to -80°C for 12 months. After reconstitution, the protein	
	solution is stable at -20°C for 3 months, at 2-8°C for up to 1 week.	