
antibodies -online.com





anti-Factor VIIIC antibody



Overview

Quantity:	10 mg
Target:	Factor VIIIC
Reactivity:	Human
Host:	Sheep
Clonality:	Polyclonal
Conjugate:	This Factor VIIIC antibody is un-conjugated
Application:	ELISA, Western Blotting (WB), Neutralization (Neut), Immunoprecipitation (IP), Immunoelectrophoresis (IEP), Immunodepletion (IDe)

Product Details

Purpose:	Factor VIII Polyclonal Antibody
Immunogen:	Human FVIII (FVIII:C) purified from concentrate.
Isotype:	IgG
Specificity:	Human Factor VIII, F8, FVIII
Purification:	Fractionation of IgG from antiserum

Target Details

Target:	Factor VIIIC
Alternative Name:	Factor VIII:C (Factor VIIIC Products)

Application Details

Buffer:

Storage:

Storage Comment:

Application Notes:	Immunoblot 5-25 μg/mL, ELISA capture 20-50 μg/mL
Comment:	Whole IgG is a base level product and refers to IgG antibodies purified from antiserum using
	multiple precipitation and dialysis steps. The purity of the IgG is typically 90% and is provided in
	a solution of HEPES buffered saline containing 50% glycerol (v/v). The titre is essentially the
	same as the starting antiserum and each vial typically contains the amount of IgG recovered
	from one millilitre of antiserum. This level of product is generally intended for use in
	applications such as immunoprecipitation, immunoelectrophoresis, immuno-depletion and
	activity neutralization assays.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Reconstitution:	Allow product to warm to room temperature and gently mix before use
Concentration:	10 mg/mL

10 mM HEPES, pH 7.4, 150 mM NaC, 50 % (v/v) glycerol

-20 °C

Store between -10°C and -20°C