.-online.com antibodies

Datasheet for ABIN753721 anti-BRIP1 antibody (Cy3)



Overview

Quantity:	100 µg
Target:	BRIP1
Reactivity:	Human, Mouse, Rat, Chicken, Cow, Dog, Horse, Pig
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This BRIP1 antibody is conjugated to Cy3
Application:	Immunofluorescence (Paraffin-embedded Sections) (IF (p))
Product Details	
Immunogen:	Polyclonal antibodies are produced by immunizing animals with synthetic peptide derived from human BACH1 Please inquire for sequence information.
Immunogen: Isotype:	human BACH1
	human BACH1 Please inquire for sequence information.
Isotype:	human BACH1 Please inquire for sequence information. IgG

Target Details

Target:	BRIP1
Alternative Name:	BACH1/BRIP1 (BRIP1 Products)
Background:	BACH1 is a member of the DEAH helicase family that interacts with BRCA1 in vivo. BACH1 is a
	DNA-dependent ATPase and 5' to 3' DNA helicase required for the maintenance of

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN753721 | 01/18/2024 | Copyright antibodies-online. All rights reserved.

	chromosomal stability. BACH1 acts late in the Fanconi anemia pathway after FANCD2
	ubiquitination and is involved in the repair of DNA double-strand breaks by homologous
	recombination in a manner that depends on its association with BRCA1. The BACH1/BRCA1
	complex formation contributes to a key function of BRCA1. Therefore it is likely that BACH1 is a
	target of germline cancer-inducing mutations.
	Synonym: BACH 1, BRIP1, BACH-1, BRAC 1 Associated C Terminal Helicase 1, BRCA 1
	Interacting Protein 1, BRCA1 binding helicase like protein BACH1, BRCA1 interacting protein C
	terminal helicase 1, BRIP 1, BRIP-1, FANCJ, ATP dependent RNA helicase BRIP1, Fanconi
	anemia group J protein, FLJ90232, MGC126521, MGC126523, OF antibody Protein FACJ.
Molecular Weight:	130kDa
Gene ID:	571
Pathways:	DNA Damage Repair
Application Details	
Application Notes:	IF(IHC-P)(1:100-500)
	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Concentration:	1mg/1ml
Buffer:	0.01M PBS, pH 7.4 with 10 mg/ml BSA
Preservative:	Sodium azide
Precaution of Use:	This product contains sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which
	should be handled by trained staff only.
Storage:	-20 °C