

Datasheet for ABIN7538234

FGFR2 Protein (AA 22-374) (His tag)

1 Image



Go to Product page

_				
	VE	r\/	'IP'	۱۸

Quantity:	50 μg
Target:	FGFR2
Protein Characteristics:	AA 22-374
Origin:	Human
Source:	Mammalian Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FGFR2 protein is labelled with His tag.

Product Details

Purpose:	Recombinant human FGFR2 Protein with C-terminal 6xHis tag	
Specificity:	FGFR2 (Arg22-Asp374) 6xHis tag	
Characteristics:	Extracellular Domain Protein	
Purification:	Purified from cell culture supernatant by affinity chromatography	
Purity: The purity of the protein is greater than 85 % as determined by SDS-PAGE and Coomassie staining.		

Target Details

Target:	FGFR2
Alternative Name:	FGFR2 (FGFR2 Products)
Background: The protein encoded by this gene is a member of the fibroblast growth factor receptor famil	

where amino acid sequence is highly conserved between members and throughout evolution.
${\sf FGFR}\ family\ members\ differ\ from\ one\ another\ in\ their\ ligand\ affinities\ and\ tissue\ distribution.\ A$
full-length representative protein consists of an extracellular region, composed of three
immunoglobulin-like domains, a single hydrophobic membrane-spanning segment and a
cytoplasmic tyrosine kinase domain. The extracellular portion of the protein interacts with
fibroblast growth factors, setting in motion a cascade of downstream signals, ultimately
influencing mitogenesis and differentiation. This particular family member is a high-affinity
receptor for acidic, basic and/or keratinocyte growth factor, depending on the isoform.
Mutations in this gene are associated with Crouzon syndrome, Pfeiffer syndrome,
Craniosynostosis, Apert syndrome, Jackson-Weiss syndrome, Beare-Stevenson cutis gyrata
syndrome, Saethre-Chotzen syndrome, and syndromic craniosynostosis. Multiple alternatively
spliced transcript variants encoding different isoforms have been noted for this gene. [provided
by RefSeq, Jan 2009]

Molecular Weight:

predicted molecular mass of 39.9 kDa after removal of the signal peptide. The apparent molecular mass of FGFR2-His is 55-100 kDa due to glycosylation.

UniProt:

P21802

Pathways:

RTK Signaling, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Regulation of Muscle Cell Differentiation, Skeletal Muscle Fiber Development, Growth Factor Binding


Application Details

Restrictions:

For Research Use only

Handling

Format:	Lyophilized	
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.	
Storage:	-20 °C,-80 °C	
Storage Comment: Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not into use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.		
Expiry Date:	12 months	



SDS-PAGE

Image 1. Human F Protein, His Tag on SDS-PAGE under reducing condition.