# ANTIBODIES ONLINE

## Datasheet for ABIN7538299 GIPR Protein (AA 19-134) (Fc Tag)

Image



Overview

1

Quantity:	50 µg
Target:	GIPR
Protein Characteristics:	AA 19-134
Origin:	Mouse
Source:	Mammalian Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This GIPR protein is labelled with Fc Tag.

#### Product Details

Purpose:	Recombinant mouse GIPR protein with C-terminal human Fc tag
Specificity:	Mouse GIPR (Glu19-Gln134) hFc (Glu99-Ala330)
Characteristics:	Extracellular Domain Protein
Purification:	Purified from cell culture supernatant by affinity chromatography
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue staining.

#### Target Details

Target:	GIPR
Alternative Name:	GIPR (GIPR Products)
Background:	Predicted to enable G protein-coupled peptide receptor activity, gastric inhibitory peptide

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7538299 | 07/24/2024 | Copyright antibodies-online. All rights reserved.

### Target Details

	receptor activity, and glucagon family peptide binding activity. Acts upstream of or within
	endocrine pancreas development. Predicted to be located in membrane. Predicted to be
	integral component of membrane. Predicted to be active in plasma membrane. Is expressed in
	foregut-midgut junction, pancreas, and pancreas primordium. Human ortholog(s) of this gene
	implicated in cardiovascular system disease, diabetes mellitus, obesity, and type 2 diabetes
	mellitus. Orthologous to human GIPR (gastric inhibitory polypeptide receptor). [provided by
	Alliance of Genome Resources, Apr 2022]
Molecular Weight:	predicted molecular mass of 39.5 kDa after removal of the signal peptide. The apparent
	molecular mass of mGIPR-hFc is 35-55 kDa due to glycosylation.
UniProt:	Q0P543
Pathways:	Positive Regulation of Peptide Hormone Secretion, cAMP Metabolic Process, Regulation of G-
	Protein Coupled Receptor Protein Signaling
Application Details	
Restrictions:	For Research Use only
Handling	
Handling Format:	Lyophilized
	Lyophilized Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants
Format:	
Format:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants
Format: Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Format: Buffer: Storage:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization. -20 °C,-80 °C
Format: Buffer: Storage:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants   before lyophilization.   -20 °C,-80 °C   Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for



#### SDS-PAGE

**Image 1.** Mouse GIPR Protein, hFc Tag on SDS-PAGE under reducing condition.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7538299 | 07/24/2024 | Copyright antibodies-online. All rights reserved.