.-online.com antibodies

Datasheet for ABIN7538542 TACR2 Protein



Overview

Quantity:	50 µg
Target:	TACR2
Origin:	Human
Source:	Mammalian Cells
Protein Type:	Synthetic Nanodisc

Product Details

Purpose:	Human NK2R full length protein-synthetic nanodisc
Characteristics:	Unlike other membrane scaffold protein (MSP) Nanodisc on the market, our synthetic Nanodisc
	can be prepared directly from the cells. The polymers used during this process have a dual
	function. It dissolves the cell membranes, like the detergent, and uses cellular phospholipids to
	form Nanodisc around the membrane proteins. The target protein embedded Nanodiscs can
	then be purified.

Target Details

Target:	TACR2
Alternative Name:	NK2R (TACR2 Products)
Background:	This gene belongs to a family of genes that function as receptors for tachykinins. Receptor
	affinities are specified by variations in the 5'-end of the sequence. The receptors belonging to
	this family are characterized by interactions with G proteins and 7 hydrophobic transmembrane
	regions. This gene encodes the receptor for the tachykinin neuropeptide substance K, also
	referred to as neurokinin A. [provided by RefSeq, Jul 2008]

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/2 | Product datasheet for ABIN7538542 | 06/14/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
Molecular Weight:	The human full length NK2R protein has a MW of 44.4kDa
UniProt:	P21452
Pathways:	Hormone Transport, Negative Regulation of Hormone Secretion

Application Details

Advantages of Synthetic Nanodiscs:
Highly purified membrane proteins
High solubility in aqueous solutions
High stability
Proteins are in a native membrane environment and remain biologically active
 No detergent and can be used for cell-based assays
No MSP backbone proteins
Limitations of Synthetic Nanodiscs:
Intolerant to acids and high concentrations of divalent metal ions
For Research Use only
Lyophilized
Lyophilized from nanodisc solubilization buffer (20 mM Tris-HCl, 150 mM NaCl, pH 8.0).
Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
-20 °C,-80 °C
Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended fo
use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing).
Lyophilized proteins are shipped at ambient temperature.
12 months