antibodies - online.com







FAS Protein (AA 26-173) (Fc Tag)



Image



Overview

Quantity:	50 μg
Target:	FAS
Protein Characteristics:	AA 26-173
Origin:	Human
Source:	Mammalian Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This FAS protein is labelled with Fc Tag.

Product Details

Purpose:	Recombinant human APO-1 Protein with C-terminal human Fc tag
Specificity:	APO-1 (Gln26-Asn173) hFc (Glu99-Ala330)
Characteristics:	Extracellular Domain Protein
Purification:	Purified from cell culture supernatant by affinity chromatography
Purity:	The purity of the protein is greater than 95 % as determined by SDS-PAGE and Coomassie blue staining.

Target Details

Target:	FAS
Alternative Name:	APO-1 (FAS Products)
Background:	The protein encoded by this gene is a member of the TNF-receptor superfamily. This receptor

contains a death domain. It has been shown to play a central role in the physiological regulation of programmed cell death, and has been implicated in the pathogenesis of various malignancies and diseases of the immune system. The interaction of this receptor with its ligand allows the formation of a death-inducing signaling complex that includes Fas-associated death domain protein (FADD), caspase 8, and caspase 10. The autoproteolytic processing of the caspases in the complex triggers a downstream caspase cascade, and leads to apoptosis. This receptor has been also shown to activate NF-kappaB, MAPK3/ERK1, and MAPK8/JNK, and is found to be involved in transducing the proliferating signals in normal diploid fibroblast and T cells. Several alternatively spliced transcript variants have been described, some of which are candidates for nonsense-mediated mRNA decay (NMD). The isoforms lacking the transmembrane domain may negatively regulate the apoptosis mediated by the full length isoform. [provided by RefSeq, Mar 2011]

Molecular Weight:

predicted molecular mass of 42.8 kDa after removal of the signal peptide. The apparent molecular mass of APO-1-hFc is 35-70 kDa due to glycosylation.

UniProt:

P25445

Pathways:

p53 Signaling, Apoptosis, Production of Molecular Mediator of Immune Response, Positive Regulation of Endopeptidase Activity


Application Details

Restrictions:

For Research Use only

Handling

Format:	Lyophilized
Buffer:	Lyophilized from sterile PBS, pH 7.4. Normally 5 % - 8 % trehalose is added as protectants before lyophilization.
Storage:	-20 °C,-80 °C
Storage Comment:	Store at -20°C to -80°C for 12 months in lyophilized form. After reconstitution, if not intended for use within a month, aliquot and store at -80°C (Avoid repeated freezing and thawing). Lyophilized proteins are shipped at ambient temperature.
Expiry Date:	12 months



SDS-PAGE

Image 1. Human APO-1 Protein, hFc Tag on SDS-PAGE under reducing condition.