

Datasheet for ABIN7538916 anti-Myogenin antibody

Image



Overview

1

| Quantity: | 1 mL | |
|--------------|---|--|
| Target: | Myogenin (MYOG) | |
| Reactivity: | Human | |
| Host: | Mouse | |
| Clonality: | Monoclonal | |
| Conjugate: | This Myogenin antibody is un-conjugated | |
| Application: | Immunohistochemistry (IHC), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Heat-induced Epitope Retrieval (HIER) | |


Product Details

| Purpose: | Liquid Mouse Monoclonal Antibody Myf-4 (Rhabdomyosarcoma Marker) | | |
|------------------|--|--|--|
| Immunogen: | Prokaryotic recombinant fusion protein corresponding to the Myf-4 molecule. | | |
| Clone: | L026 | | |
| Isotype: | lgG1 | | |
| Specificity: | Human Myf-4 gene product. | | |
| Characteristics: | This product is intended for the qualitative identification by light microscopy of Myf-4 (Rhabdomyosarcoma Marker) molecules in paraffin sections. | | |
| Purification: | Tissue culture supernatant | | |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7538916 | 09/25/2024 | Copyright antibodies-online. All rights reserved.

| Target Details | | | |
|---------------------------|---|--|--|
| Target: | Myogenin (MYOG) | | |
| Alternative Name: | Myf-4 (MYOG Products) | | |
| Pathways: | Regulation of Muscle Cell Differentiation, Skeletal Muscle Fiber Development | | |
| Application Details | | | |
| Application Notes: | Immunohistochemistry on paraffin sections. Heat Induced Epitope Retrieval (HIER): Epitope Retrieval Solution pH 6. Suggested dilution: 1:40 for 30 minutes at 25 °C. This is provided as a guide and users should determine their own optimal working dilutions. Immunohistochemical (IHC) staining techniques allow for the visualization of antigens via the sequential application of a specific antibody to the antigen (primary antibody), a secondary antibody to the primary antibody and an enzyme complex with a chromogenic substrate with interposed washing steps. The enzymatic activation of the chromogen results in a visible reaction product at the antigen site. The specimen may then be counterstained and coverslipped. Results are interpreted using a light microscope. | | |
| Restrictions: Handling | For Research Use only | | |
| Format: | Liquid | | |
| Concentration: | 13 mg/L | | |
| Buffer: | This product is a liquid tissue culture supernatant containing sodium azide as a preservative. | | |
| Preservative: | Sodium azide | | |
| Precaution of Use: | This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. | | |
| Storage: | 4 °C | | |
| Storage Comment: | Store at 2-8 °C. Do not freeze. Return to 2-8 °C immediately after use. Do not use after expiration date indicated on the vial label. Storage conditions other than those specified above must be verified by the user. | | |
| Expiry Date: | 12 months | | |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7538916 | 09/25/2024 | Copyright antibodies-online. All rights reserved.



| Immunohistochemistry | | | | | |
|---|----|-------|-------------------|--|--|
| Image | 1. | Human | rhabdomyosarcoma: | | |
| immunohistochemical staining for Myf-4 protein. Note | | | | | |
| staining of a proportion of tumor cell nuclei. Myogenin | | | | | |
| (Myf-4): clone LO26 | | | | | |
| | | | | | |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/3 | Product datasheet for ABIN7538916 | 09/25/2024 | Copyright antibodies-online. All rights reserved.