

Datasheet for ABIN7539479

anti-CD56 antibody (APC-iFluor™700)



Go to Product page

_				
()	1//	rv	IO	Λ/
()	VC	. I V	1	v v

Quantity:	200 tests
Target:	CD56 (NCAM1)
Reactivity:	Human
Host:	Mouse
Clonality:	Monoclonal
Conjugate:	This CD56 antibody is conjugated to APC-iFluor™700
Application:	Flow Cytometry (FACS)

Product Details

Purpose:	CD56 APC-iFluor700 Antibody
Immunogen:	Human myotube cells
Clone:	5-1H11
Isotype:	lgG1, kappa
Characteristics:	The clone 5.1H11, a mouse monoclonal antibody, selectively binds to the human 140- kDa glycoprotein, an isoform of neural cell adhesion molecule (NCAM) known as CD56. It is a member of Immunoglobulin (Ig) superfamily. CD56 and CD16 expressing lymphocytes are primarily considered as human NK cells and NK-T cells. A subset of CD56+ NK cells plays a unique functional role in the innate immune response as the primary source of NK cell-derived immunoregulatory cytokines, regulated in part by differential monokine production. CD56 is expressed in normal and as well as neoplastic human neuroendocrine tissues, certain large
	granular lymphocyte (LGL) leukemias, small-cell lung carcinomas, neuronal derived tumors,

Product Details

	myelomas, and myeloid leukemias. Additionally, increased CD56+ lymphocyte subsets in peripheral blood are a significant predictive or prognostic factor in metastatic breast cancer.	
Purification:	Purified	
Purity:	>95 %	
Grade:	GMP Grade	

Target Details

Target:	CD56 (NCAM1)
Alternative Name:	CD56 (NCAM1 Products)
Gene ID:	4684
UniProt:	P13591

Application Details

Application Notes:	Optimal working dilution should be determined by the investigator.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	PBS pH 7.2, 0.2 % (w/v) BSA, 0.09 % (w/v) sodium azide
Preservative:	Sodium azide
Precaution of Use:	This product contains Sodium azide: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C
Storage Comment:	2-8°C, Conjugated antibodies should never be frozen.