

Datasheet for ABIN7540206

anti-TP53BP1 antibody (pSer1778)

1 Image




Go to Product page

	ve	rvi	0	W
\cup	VC	I V I	\sim	v v

Overview		
Quantity:	100 μL	
Target:	TP53BP1	
Binding Specificity:	pSer1778	
Reactivity:	Human	
Host:	Rabbit	
Clonality:	Polyclonal	
Conjugate:	This TP53BP1 antibody is un-conjugated	
Application:	Western Blotting (WB)	
Product Details		
Purpose:	Anti-Phosphorylated Tumor Protein p53 Binding Protein 1 (TP53BP1) Polyclonal Antibody	
Immunogen:	Synthetic Phosphopeptide Phospho-TP53BP1 (Ser1778) (TES"P"QL RAGAGYILED FNEAQ)	
Isotype:	IgG	
Specificity:	Phospho-TP53BP1 (Ser1778) antibody detects endogenous levels of TP53BP1 only when	
	phosphorylated at serine 1778.	
Purification:	Antigen-specific affinity chromatography followed by Protein A affinity chromatography	
Target Details		
Target:	TP53BP1	
Alternative Name:	Tumor Protein p53 Binding Protein 1 (TP53BP1 Products)	

Target Details

Background:	53BP1, p53BP1, p202	
Pathways:	DNA Damage Repair	
Application Details		
Application Notes:	Immunocytochemistry in formalin fixed cells: 5-30 μg/mL Immunohistochemistry in formalin fixed frozen section: 5-30 μg/mL Immunohistochemistry in paraffin section: 5-30 μg/mL Enzyme-linked Immunosorbent Assay: 0.05-2 μg/mL Optimal working dilutions must be determined by end user.	
Comment:	The thermal stability is described by the loss rate. The loss rate was determined by accelerated thermal degradation test, that is, incubate the protein at 37°C for 48h, and no obvious degradation and precipitation were observed. The loss rate is less than 5% within the expiration date under appropriate storage condition.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	0.01M PBS, pH 7.4, containing 0.05 % Proclin-300, 50 % glycerol.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for frequent use. Stored at -20°C in a manual defrost freezer for two year without detectable loss of activity. Avoid repeated freeze-thaw cycles.	
Expiry Date:	24 months	



Western Blotting

Image 1. Detection of TP53BP1 in Human 293 Cells using Anti-Phosphorylated Tumor Protein p53 Binding Protein 1 (TP53BP1) Polyclonal Antibody