

Datasheet for ABIN7540250
NASP Protein (AA 1-790) (GST tag)



[Go to Product page](#)

1 Image

Overview

| | |
|-------------------------------|---|
| Quantity: | 2 µg |
| Target: | NASP |
| Protein Characteristics: | AA 1-790 |
| Origin: | Human |
| Source: | Wheat germ |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This NASP protein is labelled with GST tag. |
| Application: | Western Blotting (WB), ELISA, Affinity Purification (AP), Antibody Array (AA) |

Product Details

| | |
|-----------|--|
| Purpose: | NASP (Human) Recombinant Protein (P01) |
| Sequence: | MFLLLLHLQI KWRATINLLS VTEDGLHFVE YYLNRIIHL D VDSEAKKLLG LGQKHLVMGD IPAAVNAFQE AASLLGKKYG ETANECGEAF FFYGKSLEL ARMENGLVGN ALEGVHVEEE EGEKTEDESL VENNDNIDEE AREELREQVY DAMGEKEEAK KTEDKSLAKP ETDKEQDSEM EKGGREDMDI SKSAEEPQEK VDLTLDWLTE TSEEAKGGAA PEGPNEAEVT SGKPEQEVDP AEEEEKSVSGT DVQEECREKG GQEKQGEVIV SIEEKPKQEVV EEQPVVTLK QGTAVEVEAE SLDPTVKPVD VGGDEPEEKV VTSENEAGKA VLEQLVGQEV PPAEESPEVT TEAAEASAVE AGSEVSEKPG QEAPVLPKDG AVNGPSVVDG QTPIEPQTSI ERLTETKDGS GLEEKVRAKL VPSQEETKLS VEESEAAGDG VDTKVAQGAT EKSPEDKVQI AANEETQERE EQMKEGEETE GSEEDDKEND KTEEMPNSV LENKSLQENE EEEIGNLELA WDMMLDLAKII FKRQETKEAQ LYAAQAHLKL GEVSVESY VQAVEEFQSC LNLQEQYLEA HDRLLAETHY QLGLAYGYNS QYDEAVAQFS KSIEVIENRM AVLNEQVKEA EGSSAEYKKE IEELKELLPE IREKIEDAKE |

Product Details

SQRSGNVAEL ALKATLVESS TSGFTPGGGG SSVSMIASRK PTDGASSSNC VTDISHLVRK
KRKPEEESPR KDDAKKAKQE PEVNGGSGDA VPSGNEVSEN MEEEAENQAE SRAAVEGTVE
AGATVESTAC

Characteristics: Human NASP full-length ORF (NP_751896.1, 1 a.a. - 790 a.a.) recombinant protein with GST-tag at N-terminal.

Purification: in vitro wheat germ expression system

Target Details

Target: NASP

Alternative Name: NASP ([NASP Products](#))

Background: Full Gene Name: nuclear autoantigenic sperm protein (histone-binding)
Synonyms:
DKFZp547F162,FLB7527,FLJ31599,FLJ35510,MGC19722,MGC20372,MGC2297,PRO1999

Gene ID: 4678

NCBI Accession: [NM_172164](#)

Application Details

Application Notes: Optimal working dilution should be determined by the investigator.

Comment: Preparation method: in vitro, wheat germ expression system
Product Quality tested by: 12.5% SDS-PAGE Stained with Coomassie Blue.

Restrictions: For Research Use only

Handling

Buffer: 50 mM Tris-HCl, 10 mM reduced Glutathione, pH =8.0 in the elution buffer.

Handling Advice: Aliquot to avoid repeated freezing and thawing.

Storage: -80 °C

Storage Comment: Best use within three months from the date of receipt of this protein.




Image 1.