

Datasheet for ABIN7540305
anti-Alcohol Dehydrogenase (ADH) antibody



[Go to Product page](#)

2 Images

Overview

| | |
|--------------|------------------------------------|
| Quantity: | 50 µL |
| Target: | Alcohol Dehydrogenase (ADH) |
| Reactivity: | Arabidopsis thaliana, Oryza sativa |
| Host: | Rabbit |
| Clonality: | Polyclonal |
| Conjugate: | Un-conjugated |
| Application: | Western Blotting (WB) |

Product Details

| | |
|-----------------------------|---|
| Immunogen: | KLH-conjugated peptide derived from available ADH sequences including Arabidopsis thaliana P06525, At1g77120 |
| Cross-Reactivity (Details): | Not reactive in: Allyl alcohol dehydrogenase of Nicotiana tabacum, accession 75206691 and in Chlamydomonas reinhardtii. |
| Predicted Reactivity: | dicots including: Brassica napus, Glycine max, Pisum sativum, Solanum tuberosum, Sorghum bicolor, Ricinus communis, Vitis vinifera, monocots including: Hordeum vulgare, Oryza sativa, Sorghum bicolor, Zea mays, trees: Picea sitchensis, Populus trichocarpa, |
| Characteristics: | Expected / apparent Molecular Weight of the Antigen: 42 / 42 kDa (Arabidopsis thaliana) |
| Purification: | serum |

Target Details

| | |
|---------|-----------------------------|
| Target: | Alcohol Dehydrogenase (ADH) |
|---------|-----------------------------|

Target Details

Alternative Name: ADH ([ADH Products](#))

Background: AGI Code: At1g77120

Alcohol dehydrogenase (ADH) is an enzyme playing a crucial role in the fermentative metabolism in plants subjected to low oxygen stress. It is known to be synthesized preferentially under low oxygen conditions.

Molecular Weight: expected: 42 kDa, apparent: 42 kDa (*Arabidopsis thaliana*)

UniProt: [P06525](#)

Application Details

Application Notes: 1: 3000 with standard ECL (WB)

Restrictions: For Research Use only

Handling

Format: Lyophilized

Reconstitution: For reconstitution add 100 μ L of sterile water


Storage: -20 $^{\circ}$ C

Storage Comment: store lyophilized/reconstituted at -20 $^{\circ}$ C, once reconstituted make aliquots to avoid repeated freeze-thaw cycles. Please, remember to spin tubes briefly prior to opening them to avoid any losses that might occur from lyophilized material adhering to the cap or sides of the tubes.

Images

Western Blotting

Image 1.



Western Blotting

Image 2.

