



[Go to Product page](#)

Datasheet for ABIN754153
anti-MAX antibody (AA 75-160)

Overview

Quantity:	100 µL
Target:	MAX
Binding Specificity:	AA 75-160
Reactivity:	Human
Host:	Rabbit
Clonality:	Polyclonal
Conjugate:	This MAX antibody is un-conjugated
Application:	ELISA, Immunofluorescence (Cultured Cells) (IF (cc)), Immunofluorescence (Paraffin-embedded Sections) (IF (p)), Immunohistochemistry (Paraffin-embedded Sections) (IHC (p)), Immunohistochemistry (Frozen Sections) (IHC (fro))

Product Details

Immunogen:	KLH conjugated synthetic peptide derived from human MAX protein
Isotype:	IgG
Cross-Reactivity:	Human
Predicted Reactivity:	Mouse,Rat,Cow,Horse,Chicken,Rabbit
Purification:	Purified by Protein A.

Target Details

Target:	MAX
---------	-----

Target Details

Alternative Name: MAX protein ([MAX Products](#))

Background: Synonyms: bHLHd4, bHLHd5, bHLHd6, bHLHd7, bHLHd8, Helix loop helix zipper protein, MAX protein, MGC10775, MGC11225, MGC18164, MGC34679, MGC36767, Myc associated factor X, Myc binding novel HLH/LZ protein, Orf 1, Orf1, Protein max, MAX_HUMAN.
Background: MAX is a basic helix-loop-helix, leucine zipper protein that forms heterodimers with MYC and MAD. It is involved in regulating gene expression.

Gene ID: 4149

Pathways: [Mitotic G1-G1/S Phases](#)

Application Details

Application Notes: ELISA 1:500-1000
IHC-P 1:200-400
IHC-F 1:100-500
IF(IHC-P) 1:50-200
IF(IHC-F) 1:50-200
IF(ICC) 1:50-200

Restrictions: For Research Use only

Handling

Format: Liquid

Concentration: 1 µg/µL

Buffer: 0.01M TBS(pH 7.4) with 1 % BSA, 0.02 % Proclin300 and 50 % Glycerol.

Preservative: ProClin

Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE, which should be handled by trained staff only.

Storage: 4 °C, -20 °C

Storage Comment: Shipped at 4°C. Store at -20°C for one year. Avoid repeated freeze/thaw cycles.

Expiry Date: 12 months
