

Datasheet for ABIN7542911

Monoamine Oxidase A Protein (MAOA) (His tag)



Overview

| Overview | |
|-------------------------------|--|
| Quantity: | 100 μg |
| Target: | Monoamine Oxidase A (MAOA) |
| Origin: | Human |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Biological Activity: | Active |
| Purification tag / Conjugate: | This Monoamine Oxidase A protein is labelled with His tag. |
| Product Details | |
| Purnose. | Human MΔΩΔ Protein, His Tag (active enzyme) |

| Purpose: | Human MAOA Protein, His Tag (active enzyme) |
|------------------------------|--|
| Sequence: | Glu 2 - Ser 527 |
| Characteristics: | Human MAOA, His Tag is expressed from Baculovirus-Insect cells. It contains AA Glu 2 - Ser 527 (Accession # P21397-1). |
| Purity: | 95,00 % |
| Endotoxin Level: | 1.0 EU per µg |
| Biological Activity Comment: | Measured by its ability to produce hydrogen peroxide during the oxidation of Tyramine. The specific activity is >300 pmol/min/ug, as measured under the described conditions(QC tested). |

Target Details

| Target: | Monoamine Oxidase A (MAOA) | |
|---------|----------------------------|--|
|---------|----------------------------|--|

Target Details

| Alternative Name: | MAOA (MAOA Products) | |
|---------------------|--|--|
| Background: | Synonyms:N/A,Description:MAOA, Monoamine oxidase-A is an FAD-dependent mitochondrial | |
| | enzyme, which, together with its isoenzyme MAO-B, catalyses the oxidative deamination of | |
| | structurally diverse amines. MAOA is mainly involved in the metabolism of monoamine | |
| | neurotransmitters, such as such as serotonin, dopamine, and norepinephrine. Inhibitors of | |
| | MAOA are in clinical use for affective disorders and is approved to treat despression. | |
| Molecular Weight: | 61.6 kDa | |
| Application Details | | |
| Comment: | This protein carries a polyhistidine tag at the N-terminus. The protein has a calculated MW of | |
| | 61.6 kDa. The protein migrates as 60 kDa under reducing (R) condition (SDS-PAGE). | |
| Restrictions: | For Research Use only | |
| Handling | | |
| Format: | Liquid | |
| Buffer: | 50 mM HEPES, 150 mM NaCl, DDM, CHS, pH 7.5 | |
| Storage: | -80 °C | |
| Storage Comment: | -70°C | |
| | | |