

Datasheet for ABIN7542983

Recombinant anti-TNFRSF4 antibody



| _ | | | | | |
|---|-----|---|----|-------------|-----|
| | 1// | r | Vİ | \triangle | ۸/ |
| | V | | VI | | / V |

| Quantity: | 200 μg | |
|----------------|--|--|
| Target: | TNFRSF4 | |
| Reactivity: | Rat | |
| Host: | Mouse | |
| Antibody Type: | Recombinant Antibody | |
| Clonality: | Monoclonal | |
| Conjugate: | This TNFRSF4 antibody is un-conjugated | |
| Application: | Flow Cytometry (FACS), Immunoprecipitation (IP), Immunohistochemistry (Frozen Sections) (IHC (fro)), Functional Studies (Func) | |

Product Details

| Purpose: | Anti-CD134 [OX-40], Mouse IgG2b, kappa | |
|------------------|---|--|
| Immunogen: | OX40 antibody was prepared by immunizing mice with phytohaemagglutinin-activated rat lymph node cells. | |
| Clone: | OX-40 | |
| Isotype: | lgG2b kappa | |
| Specificity: | OX-40 antibody binds specifically to CD4+ T blasts. CD134 is a protein of the TNFR superfamile It binds to OX40 ligand of both the monomeric and trimeric states which results in costimulated proliferation. | |
| Characteristics: | Original Species of Ab: Mouse Original Format of Ab: IgG2b | |

Product Details Protein A affinity purified Purification: **Target Details** TNFRSF4 Target: Alternative Name CD134 (TNFRSF4 Products) Background: TNFRS4, Tumor necrosis factor receptor superfamily member 4, 0X40 antigen, 0X40L receptor, OX40, MRC OX40, MRC OX-40, OX-40 UniProt: P15725 Production of Molecular Mediator of Immune Response, Cancer Immune Checkpoints Pathways: **Application Details** Application Notes: OX-40 antibody results in Fc-dependent (i.e. not Fab or F(ab')2) stimulation of in vitro activated T cell proliferation, but is not mitogenic for resting cells. This antibody can also label CD4+ T blasts and can pull down CD134/CD134+ cells. Restrictions: For Research Use only Handling Concentration: 1 mg/mL Buffer: PBS with 0.02 % Proclin 300. Preservative: ProClin Precaution of Use: This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only. 4 °C,-20 °C Storage:

Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.

Storage Comment: