

Datasheet for ABIN7543018

Recombinant anti-DPP4 antibody



Overview

Quantity:	200 μg
Target:	DPP4
Reactivity:	Rat
Host:	Mouse
Antibody Type:	Recombinant Antibody
Clonality:	Monoclonal
Conjugate:	This DPP4 antibody is un-conjugated
Application:	Flow Cytometry (FACS), Western Blotting (WB), Immunohistochemistry (IHC), Immunofluorescence (IF), Immunoprecipitation (IP), Immunocytochemistry (ICC), Radioimmunoassay (RIA)

Product Details

Purpose:	Anti-CD26 [OX-61], Mouse IgG2a, kappa
lmmunogen:	OX-61 was prepared by immunizing mice with rat thoracic duct lymphoid cells that were enriched for dendritic cells.
Clone:	OX-61
Isotype:	IgG2a kappa
Specificity:	OX-61 binds specifically to DPP4. Evidence: tissue distribution of OX-61 and DPP4 are identical, equal MWTs, OX-61-mediated reduction in DPP4 activity from solubilized liver homogenates. DPP4 is a glycoprotein receptor which acts as a positive regulator of T cell co-activation.
Characteristics:	Original Species of Ab: Mouse

Product Details

Troduct Details	
	Original Format of Ab: IgG2a
Purification:	Protein A affinity purified
Target Details	
Target:	DPP4
Alternative Name:	CD26 (DPP4 Products)
Background:	DPP4, DPP 4, DPPIV, DPP IV, Dipeptidyl peptidase 4, Bile canaliculus domain-specific membrane glycoprotein, GP110 glycoprotein, T-cell activation antigen CD26,0X61, MRC 0X-61 MRC 0X61
UniProt:	P14740
Pathways:	Peptide Hormone Metabolism, Regulation of Leukocyte Mediated Immunity
Application Details	
Application Notes:	This antibody can be used for denaturing and non-denaturing WB and developed using peroxidase-conjugated rabbit anti-mouse. It can also be used for IHC of cryostat sections from adult rat liver. Staining is also observed on the brush border of the small intestine and colonic epithelium, T cell areas of lymphoid cells but not B cell follicles
Restrictions:	For Research Use only
Handling	
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % Proclin 300.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.