

## Datasheet for ABIN7543055

## Recombinant anti-SIRPG antibody



## Overview

Overview	
Quantity:	200 μg
Target:	SIRPG
Reactivity:	Human
Host:	Rabbit
Antibody Type:	Recombinant Antibody
Clonality:	Chimeric
Conjugate:	This SIRPG antibody is un-conjugated
Application:	ELISA, Flow Cytometry (FACS), Immunoprecipitation (IP), Blocking Reagent (BR)
Product Details	
Purpose:	Anti-SIRP g [OX-119], Rabbit IgG, kappa
Immunogen:	OX-119 was prepared by immunizing BALB/c mice with a chimeric protein made up of human SIRPg and a leader peptide of rat CD4 domain (SIRPg-CD4).
Clone:	OX-119
Isotype:	IgG kappa
Specificity:	Hybridoma supernatants were initially screened by ELISA, using SIRPg-CD4, human SIRPa-Fc, human SIRPb-Fc or CD4 to eliminate hybridomas with cross-reactivity to rat CD4, human SIRPa, and SIRPb. There is some marginal binding of OX-119 to SIRPb transfected 293T cells. SIRPg binds CD47. On binding with CD47, mediates cell-cell adhesion. Engagement on T-cells by CD47 on antigen-presenting cells results in enhanced antigen-specific T-cell proliferation and costimulates T-cell activation. Expressed on CD4+ T-cells, CD8+ T-cells, CD56-bright natural

## **Product Details**

	killer (NK) cells, CD20+ cells, and all activated NK cells
Characteristics:	Original Species of Ab: Mouse
	Original Format of Ab: IgG1
Purification:	Protein A affinity purified
Target Details	
Target:	SIRPG
Alternative Name:	SIRP g (SIRPG Products)
Background:	CD172g, OX119, MRC OX-119, MRC OX119, SIRP-g, SIRPg, SIRP gamma, SIRP-gamma, CD172
	antigen-like family member B, signal-regulatory protein beta, CD172-g
UniProt:	Q9P1W8
Application Details	
Application Notes:	OX-119 is able to perform staining of peripheral blood myeloid cells (PBMCs) and block SIRPg-
	mediated apoptosis. OX-119 can also be used in IP, FC and ELISA.
Comment:	This chimeric rabbit antibody was made using the variable domain sequences of the original
	Mouse IgG1 format, for improved compatibility with existing reagents, assays and techniques.
Restrictions:	For Research Use only
Handling	
Concentration:	1 mg/mL
Buffer:	PBS with 0.02 % Proclin 300.
Preservative:	ProClin
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be
	handled by trained staff only.
Storage:	4 °C,-20 °C
Storage Comment:	Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.