

## Datasheet for ABIN7543288

## Recombinant anti-PSMA antibody



Go to Product page

_				
( )	1//	rv	IO	Λ/
( )	VC	. I V	1	v v

0 μg  SMA (FOLH1)  Iman  bbit	
iman bbit	
bbit	
combinant Antibody	
imeric	
This PSMA antibody is un-conjugated	
estern Blotting (WB), Immunohistochemistry (IHC), ELISA, Flow Cytometry (FACS), munofluorescence (IF), Immunoprecipitation (IP)	
is	

## **Product Details**

Purpose:	Anti-PSMA [J591], Rabbit IgG, lambda	
Immunogen:	The original antibody was generated by immunizing BALB/c mice with LNCaP cells or a primary culture of PCa epithelial cells.	
Clone:	J591	
Isotype:	IgG lambda	
Specificity:	This antibody binds the extracellular domain of the human PSMA. Prostate-specific membrane antigen (PSMA) is a type II integral membrane glycoprotein belonging to the M28 peptidase family. It acts as a glutamate carboxypeptidase on different alternative substrate. It is highly expressed in cancerous cells and is used as an effective diagnostic and prognostic indicator of prostate cancer.	

Product Details			
Characteristics:	Original Species of Ab: Mouse		
	Original Format of Ab: IgG1		
Purification:	Protein A affinity purified		
Target Details			
Target:	PSMA (FOLH1)		
Alternative Name:	PSMA (FOLH1 Products)		
Background:	PSM, FOLH1, FOLH, FGCP, GCPII, mGCP, NAALAD1, GIG27, Prostate specific membrane		
	antigen, Glutamate carboxypeptidase 2, Cell growth-inhibiting gene 27 protein, Folate hydrolase		
	1, Folylpoly-gamma-glutamate carboxypeptidase, Glutamate carboxypeptidase II, Membrane		
	glutamate carboxypeptidase, N-acetylated-alpha-linked acidic dipeptidase I, NAALADase I,		
	Prostate-specific membrane antigen, Pteroylpoly-gamma-glutamate carboxypeptidase		
UniProt:	Q04609		
Application Details			
Application Notes:	This antibody was used in the immunohistochemical analysis of PSMA expressed on renal,		
	urothelial, colon, lung, breast carcinomas and metastatic adenocarcinoma of liver. This		
	antibody can also immunoprecipitate PSMA from crude LNCaP lysates (PMID: 9288760). This		
	antibody was also used for the identification of PSMA in a western blot assay. The epitope		
	analysis of this antibody was done using ELISA. This antibody was also used in the		
	immunofluorescence staining of on nonpermeabilized and permeabilized LNCaP cells (PMID:		
	9288760). This antibody was used in a flow cytometric study for enumeration of circulating		
	prostate microparticles (PMPs), a type of extracellular vesicle (EV) released by prostate cancer		
	present in seminal fluid, urine, and blood may represent a non-invasive means to identify and		
	prioritize patients with intermediate and high risk of prostate cancer (PMID: 26814433). In a		
	phase 1 trial in patients with advanced solid tumor malignancies this antibody showed		
	acceptable toxicity and excellent targeting of known sites of metastases (PMID: 17290063).		
Comment:	This chimeric rabbit antibody was made using the variable domain sequences of the original		
	Human IgG1 format for improved compatibility with existing reagents assays and techniques.		

For Research Use only

Restrictions:

## Handling

Concentration:	1 mg/mL	
Buffer:	PBS with 0.02 % Proclin 300.	
Preservative:	ProClin	
Precaution of Use:	This product contains ProClin: a POISONOUS AND HAZARDOUS SUBSTANCE which should be handled by trained staff only.	
Storage:	4 °C,-20 °C	
Storage Comment:	Store at 4°C for up to 3 months. For longer storage, aliquot and store at -20°C.	