

Datasheet for ABIN7544350

Carabin Protein (AA 1-446) (His tag)



Overview

Quantity:	1 mg
Target:	Carabin (TBC1D10C)
Protein Characteristics:	AA 1-446
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Carabin protein is labelled with His tag.

Product Details

Product Details	Out to the second to the second TDO4D400 Doubling to the second in the s
Purpose:	Custom-made recombinant TBC1D10C Protein expressed in mammalian cells.
Sequence:	MAQALGEDLV QPPELQDDSS SLGSDSELSG PGPYRQADRY GFIGGSSAEP GPGHPPADLI
	RQREMKWVEM TSHWEKTMSR RYKKVKMQCR KGIPSALRAR CWPLLCGAHV CQKNSPGTYQ
	ELAEAPGDPQ WMETIGRDLH RQFPLHEMFV SPQGHGQQGL LQVLKAYTLY RPEQGYCQAQ
	GPVAAVLLMH LPPEEAFWCL VQICEVYLPG YYGPHMEAVR LDAEVFMALL RRLLPHVHKH
	LQQVGVGPLL YLPEWFLCLF ARSLPFPTVL RVWDAFLSEG ARVLFRVGLT LVRLALGTAE
	QRGACPGLLE TLGALRAIPP AQLQEEAFMS QVHSVVLSER DLQREIKAQL AQLPDSAPGP
	PPRPQVRLAG AQAIFEAQQL AGVRRGAKPE VPRIVVQPPE EPRPPRRKPQ TRGKTFHGLL
	TRARGPPIEG PPRPQRGSTS FLDTRF Sequence without tag. The proposed Purification-Tag is
	based on experiences with the expression system, a different complexity of the protein
	could make another tag necessary. In case you have a special request, please contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.

Product Details

Characteristics:	Key Benefits:
	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalian cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)
Grade:	custom-made
Target Details	
Target:	Carabin (TBC1D10C)
Alternative Name:	TBC1D10C (TBC1D10C Products)
Background:	
	Carabin (TBC1 domain family member 10C),FUNCTION: Inhibits the Ras signaling pathway through its intrinsic Ras GTPase-activating protein (GAP) activity. Acts as a negative feedback inhibitor of the calcineurin signaling pathway that also mediates crosstalk between calcineurin and Ras. {ECO:0000269 PubMed:17230191}.
Molecular Weight:	through its intrinsic Ras GTPase-activating protein (GAP) activity. Acts as a negative feedback inhibitor of the calcineurin signaling pathway that also mediates crosstalk between calcineurin
	through its intrinsic Ras GTPase-activating protein (GAP) activity. Acts as a negative feedback inhibitor of the calcineurin signaling pathway that also mediates crosstalk between calcineurin and Ras. {ECO:0000269 PubMed:17230191}.
Molecular Weight:	through its intrinsic Ras GTPase-activating protein (GAP) activity. Acts as a negative feedback inhibitor of the calcineurin signaling pathway that also mediates crosstalk between calcineurin and Ras. {ECO:0000269 PubMed:17230191}. 49.7 kDa
Molecular Weight: UniProt:	through its intrinsic Ras GTPase-activating protein (GAP) activity. Acts as a negative feedback inhibitor of the calcineurin signaling pathway that also mediates crosstalk between calcineurin and Ras. {ECO:0000269 PubMed:17230191}. 49.7 kDa
Molecular Weight: UniProt: Application Details	through its intrinsic Ras GTPase-activating protein (GAP) activity. Acts as a negative feedback inhibitor of the calcineurin signaling pathway that also mediates crosstalk between calcineurin and Ras. {ECO:0000269 PubMed:17230191}. 49.7 kDa Q8IV04

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months