

Datasheet for ABIN7544686 TRIB1 Protein (AA 1-372) (His tag)



Overview

Quantity:	1 mg
Target:	TRIB1
Protein Characteristics:	AA 1-372
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This TRIB1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Purpose:	Custom-made recombinat TRIB1 Protein expressed in mammalien cells.
Sequence:	MRVGPVRSAM SGASQPRGPA LLFPATRGVP AKRLLDADDA AAVAAKCPRL SECSSPPDYL
	SPPGSPCSPQ PPPAAPGAGG GSGSAPGPSR IADYLLLPLA EREHVSRALC IHTGRELRCK
	VFPIKHYQDK IRPYIQLPSH SNITGIVEVI LGETKAYVFF EKDFGDMHSY VRSRKRLREE
	EAARLFKQIV SAVAHCHQSA IVLGDLKLRK FVFSTEERTQ LRLESLEDTH IMKGEDDALS
	DKHGCPAYVS PEILNTTGTY SGKAADVWSL GVMLYTLLVG RYPFHDSDPS ALFSKIRRGQ
	FCIPEHISPK ARCLIRSLLR REPSERLTAP EILLHPWFES VLEPGYIDSE IGTSDQIVPE YQEDSDISSF
	${\sf FC}$ Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Characteristics:	Key Benefits:

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/3 | Product datasheet for ABIN7544686 | 03/07/2025 | Copyright antibodies-online. All rights reserved.

	 Made to order protein - from design to production - by highly experienced protein experts. Protein expressed in mammalien cells and purified in one-step affinity chromatography The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins. State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made

Target Details

Target:	TRIB1
Alternative Name:	TRIB1 (TRIB1 Products)
Background:	Tribbles homolog 1 (TRB-1) (G-protein-coupled receptor-induced gene 2 protein) (GIG-2) (SKIP1),FUNCTION: Adapter protein involved in protein degradation by interacting with COP1 ubiquitin ligase (PubMed:27041596). The COP1-binding motif is masked by autoinhibitory interactions with the protein kinase domain (PubMed:26455797). Serves to alter COP1 substrate specificity by directing the activity of COP1 toward CEBPA (PubMed:27041596). Binds selectively the recognition sequence of CEBPA (PubMed:26455797). Regulates myeloid cell differentiation by altering the expression of CEBPA in a COP1-dependent manner (By similarity). Controls macrophage, eosinophil and neutrophil differentiation via the COP1-binding domain (By similarity). Interacts with MAPK kinases and regulates activation of MAP kinases, but has no kinase activity (PubMed:15299019, PubMed:26455797). {ECO:0000250 UniProtKB:Q8K4K4, ECO:0000269 PubMed:27041596}.
Molecular Weight:	41.0 kDa
UniProt:	Q96RU8

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/3 | Product datasheet for ABIN7544686 | 03/07/2025 | Copyright antibodies-online. All rights reserved.

Target Details	
Pathways:	Smooth Muscle Cell Migration
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months