

Datasheet for ABIN7545032 UCK1 Protein (AA 1-277) (His tag)



Overview

Quantity:	1 mg
Target:	UCK1
Protein Characteristics:	AA 1-277
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This UCK1 protein is labelled with His tag.

Product Details

Purpose:	Custom-made recombinant UCK1 Protein expressed in mammalian cells.
Sequence:	MASAGGEDCE SPAPEADRPH QRPFLIGVSG GTASGKSTVC EKIMELLGQN EVEQRQRKVV
	ILSQDRFYKV LTAEQKAKAL KGQYNFDHPD AFDNDLMHRT LKNIVEGKTV EVPTYDFVTH
	SRLPETTVVY PADVVLFEGI LVFYSQEIRD MFHLRLFVDT DSDVRLSRRV LRDVRRGRDL
	EQILTQYTTF VKPAFEEFCL PTKKYADVII PRGVDNMVAI NLIVQHIQDI LNGDICKWHR
	GGSNGRSYKR TFSEPGDHPG MLTSGKRSHL ESSSRPH Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexit
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Specificity:	If you are looking for a specific domain and are interested in a partial protein or a different
	isoform, please contact us regarding an individual offer.
Characteristics:	Key Benefits:

- · Made to order protein from design to production by highly experienced protein experts.
- · Protein expressed in mammalian cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris PAGE, anti-tag ELISA, Western Blot and analytical SEC (HPLC)

Grade:

custom-made

Target Details

Target:	UCK1
Alternative Name:	UCK1 (UCK1 Products)
Background:	Uridine-cytidine kinase 1 (UCK 1) (EC 2.7.1.48) (Cytidine monophosphokinase 1) (Uridine monophosphokinase 1),FUNCTION: Phosphorylates uridine and cytidine to uridine monophosphate and cytidine monophosphate (PubMed:11306702). Does not phosphorylate deoxyribonucleosides or purine ribonucleosides (PubMed:11306702). Can use ATP or GTP as a phosphate donor (PubMed:11306702). Can also phosphorylate cytidine and uridine nucleoside analogs such as 6-azauridine, 5-fluorouridine, 4-thiouridine, 5-bromouridine, N(4)-acetylcytidine, N(4)-benzoylcytidine, 5-fluorocytidine, 2-thiocytidine, 5-methylcytidine, and N(4)-anisoylcytidine (PubMed:11306702). {ECO:0000269 PubMed:11306702}.
Molecular Weight:	31.4 kDa
UniProt:	Q9HA47
Pathways:	Ribonucleoside Biosynthetic Process

Application Details

Application Notes:	We expect the protein to work for functional studies. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months