

Datasheet for ABIN7545207 **XRCC2 Protein (AA 1-280) (His tag)**



Overview

Quantity:	1 mg
Target:	XRCC2
Protein Characteristics:	AA 1-280
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This XRCC2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB)

Product Details	
Purpose:	Custom-made recombinat XRCC2 Protein expressed in mammalien cells.
Sequence:	MCSAFHRAES GTELLARLEG RSSLKEIEPN LFADEDSPVH GDILEFHGPE GTGKTEMLYH
	LTARCILPKS EGGLEVEVLF IDTDYHFDML RLVTILEHRL SQSSEEIIKY CLGRFFLVYC
	SSSTHLLLTL YSLESMFCSH PSLCLLILDS LSAFYWIDRV NGGESVNLQE STLRKCSQCL
	EKLVNDYRLV LFATTQTIMQ KASSSSEEPS HASRRLCDVD IDYRPYLCKA WQQLVKHRMF
	FSKQDDSQSS NQFSLVSRCL KSNSLKKHFF IIGESGVEFC Sequence without tag. The proposed
	Purification-Tag is based on experiences with the expression system, a different complexity
	of the protein could make another tag necessary. In case you have a special request, please
	contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.

- · Protein expressed in mammalien cells and purified in one-step affinity chromatography
- The optimized expression system ensures reliability for intracellular, secreted and transmembrane proteins.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

If you are not interested in a full length protein, please contact us for individual protein fragments.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Purity:

> 90 % as determined by Bis-Tris Page, Western Blot

Grade:

custom-made

Target Details

Target:	XRCC2
Alternative Name:	XRCC2 (XRCC2 Products)
Background:	DNA repair protein XRCC2 (X-ray repair cross-complementing protein 2),FUNCTION: Involved in
	the homologous recombination repair (HRR) pathway of double-stranded DNA, thought to
	repair chromosomal fragmentation, translocations and deletions. Part of the RAD51 paralog
	protein complex BCDX2 which acts in the BRCA1-BRCA2-dependent HR pathway. Upon DNA
	damage, BCDX2 acts downstream of BRCA2 recruitment and upstream of RAD51 recruitment.
	BCDX2 binds predominantly to the intersection of the four duplex arms of the Holliday junction
	and to junction of replication forks. The BCDX2 complex was originally reported to bind single-
	stranded DNA, single-stranded gaps in duplex DNA and specifically to nicks in duplex DNA.
	{ECO:0000269 PubMed:11751635, ECO:0000269 PubMed:11834724,
	ECO:0000269 PubMed:21276791, ECO:0000269 PubMed:23149936,
	ECO:0000269 PubMed:27233470}.
Molecular Weight:	32.0 kDa
UniProt:	O43543
Pathways:	DNA Damage Repair

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months