

Datasheet for ABIN7545210 YAF2 Protein (AA 1-180) (His tag)



Overview

Quantity:	1 mg
Target:	YAF2
Protein Characteristics:	AA 1-180
Origin:	Human
Source:	HEK-293 Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This YAF2 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS)
Product Details	

Product Details	
Purpose:	Custom-made recombinat YAF2 Protein expressed in mammalien cells.
Sequence:	MGDKKSPTRP KRQPKPSSDE GYWDCSVCTF RNSAEAFKCM MCDVRKGTST RKPRPVSQLV
	AQQVTQQFVP PTQSKKEKKD KVEKEKSEKE TTSKKNSHKK TRPRLKNVDR SSAQHLEVTV
	GDLTVIITDF KEKTKSPPAS SAASADQHSQ SGSSSDNTER GMSRSSSPRG EASSLNGESH
	Sequence without tag. The proposed Purification-Tag is based on experiences with the
	expression system, a different complexity of the protein could make another tag necessary.
	In case you have a special request, please contact us.
Characteristics:	Key Benefits:
	Made to order protein - from design to production - by highly experienced protein experts.
	 Protein expressed in mammalien cells and purified in one-step affinity chromatography
	 The optimized expression system ensures reliability for intracellular, secreted and
	transmembrane proteins.

	State-of-the-art algorithm used for plasmid design (Gene synthesis).
	This protein is a made-to-order protein and will be made for the first time for your order. Our
	experts in the lab try to ensure that you receive soluble protein.
	If you are not interested in a full length protein, please contact us for individual protein
	fragments.
	The big advantage of ordering our made-to-order proteins in comparison to ordering custom
	made proteins from other companies is that there is no financial obligation in case the protein
	cannot be expressed or purified.
Purity:	> 90 % as determined by Bis-Tris Page, Western Blot
Grade:	custom-made
Target Details	
	VAFO
Target:	YAF2
Alternative Name:	YAF2 (YAF2 Products)
Background:	YY1-associated factor 2,FUNCTION: Binds to MYC and inhibits MYC-mediated transactivation.
	Also binds to MYCN and enhances MYCN-dependent transcriptional activation. Increases
	calpain 2-mediated proteolysis of YY1 in vitro. Component of the E2F6.com-1 complex, a
	repressive complex that methylates 'Lys-9' of histone H3, suggesting that it is involved in
	chromatin-remodeling. {ECO:0000269 PubMed:11593398, ECO:0000269 PubMed:12706874,
	ECO:0000269 PubMed:9016636}.
Molecular Weight:	19.9 kDa
UniProt:	Q8IY57
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months